

08:45 – 18:00 PE 1

Foyer

Assessment & Measurement Tools

- F1 Developing a measure for excess respiratory secretions or ‘rattle’ at the end of life**
Rosalynde P Johnstone¹, Andrew Fowell¹, Ilora Finlay², Ian Russell³; ¹Caernarfon (GB), ²Cardiff (GB), ³Bangor (GB)
- F2 Depression among patients with advanced disease; Do standardised screening tools improve identification?**
Emily Clare Brackenridge¹, D Swann¹, J Koffman¹; ¹London (GB)
- F3 “A risky risk assessment?!” Is risk assessment for venous thrombo-embolism appropriate for palliative care inpatients?**
Sarah Jane Haworth¹, Karen E Groves²; ¹Southport (GB), ²Southport, Merseyside (GB)
- F4 Get SMART – Objective setting on hospice admission**
Nicholas Dando¹, Sarah England¹, Kiran Sharma¹, Suzanne Ford-Dunn¹; ¹Worthing (GB)
- F5 How to assess remaining life-span**
Gunnar Eckerdal¹, Barbro Carlsson¹, Karin Ericson¹, Annelie Kilersjö¹, Gudrun Lindberg¹, Birgitta Olofsson¹, Mona Sandblom¹, Benthe Skale¹, Anita Vejdin¹, Ann-Christin Werdin¹; ¹Kungsbacka (SE)
- F6 Descriptive study of the complexity case-mix visited by a palliative home-care team. 2 years follow-up study**
Oscar Fariñas-Balaguer¹, Josefina Adell-Bru², Natàlia Garcia-Marcet², Toni Gómez-Contreras²; ¹Barcelona (ES), ²St. Feliu de Llobregat (ES)
- F7 Systematic symptom monitoring in a hospice**
Alexander de Graeff¹, Ellen de Nijs¹, Inge Jansen-de Bos², Saskia Teunissen¹; ¹Utrecht (NL), ²De Bilt (NL)
- F8 Barometer to measure stress levels among care staff**
Colleen Louise Dempers¹, Salisha Lauton²; ¹Cape Town (ZA), ²Umkomaas (ZA)
- F9 Experiences by implementing ESAS in an hospice day care unit**
Elisabeth Strand¹, Elin Ellingsen¹, Are P Normann¹; ¹Oslo (NO)
- F10 Prognosis accuracy of PPI and PaP Score in terminally ill cancer patients: Which one is better?**
Cristina De Migue¹, Maria José Castillo¹, Sofía Garrido¹, Fernando Vicente¹, Esther García-Esquinas¹; ¹Madrid (ES)
- F11 Assessment of palliative care needs of patients with Chronic Liver Disease at a rural tertiary referral centre in Pakistan**
Syed Q Abbas¹, Zafar Abbas², Parveen Khan²; ¹Hastingwood (GB), ²Mirpurkhas (PK)

- F12 Prognostication in the hospice setting: The usefulness of the modified Glasgow Prognostic Score**
Duncan J F Brown¹, Michael Partridge¹, Joan Adam¹, Donald C Mcmillan²; ¹Edinburgh (GB), ²Glasgow (GB)
- F13 Assessing prognosis in the hospice: The views of nursing staff**
Duncan J F Brown¹, Michael Partridge¹, Joan Adam¹; ¹Edinburgh (GB)
- F14 Which symptoms and problems do patients in palliative care report in addition to those included in the EORTC QLQ-C15-PAL? Presentation of a brief instrument supplementing the EORTC QLQ-C15-PAL**
Mogens Groenvold¹, Line Lund¹, Stine Schou Mikkelsen¹, Lise Pedersen¹, Morten Aagaard Petersen¹; ¹Copenhagen (DK)
- F15 Pain in older persons with severe dementia. Psychometric properties of the MOBID-2 Pain Scale**
Bettina S Husebo¹, Liv-Inger Strand¹, Rolf Moe-Nilssen¹, Stein B Husebo¹, Anne E Ljunggren¹; ¹Bergen (NO)
- F16 Screening for physical, psychosocial and spiritual distress among palliative cancer patients: Development and application of the FBPP**
Sabine Fischbeck¹, Martin Weber¹, Bernd-Oliver Maier², Ute Siepmann¹, Jan Gramm², Cornelia Nehring¹, Rainer Schwab¹, Ilse Delargardelle³, Renate Langenbach³, Manfred E. Beutel¹; ¹Mainz (DE), ²Wiesbaden (DE), ³Trier (DE)
- F17 Estimation of quality of life of palliative care patients by nurses, physicians and patients. A comparative study**
Birgit Hladschik-Kermer¹, Katharina A Kierner¹, Verena Gartner¹, Marco Hassler¹, Herbert Watzke¹; ¹Wien (AT)
- F18 Perceived burden of family caregivers of terminally ill cancer patients**
Trine Brogaard¹, Frede Olesen¹, Mette Asbjørn Neergaard¹, Anders Bonde Jensen¹, Mai-Britt Guldin¹, Peter Vedsted¹; ¹Aarhus (DK)
- F19 Prognostic factors for survival using the interRAI PC in Iceland**
Sigríður Helgadóttir¹, Valgerður Sigurdardóttir¹, Ingibjörg Hjaltadóttir¹, Gudrun Dóra Guðmannsdóttir¹, Palmi V Jonsson¹; ¹Reykjavík (IS)
- F20 Assessing the competency of lay community caregivers to provide palliative care in a home based setting**
Kath DeFilippi¹, Sue Cameron¹; ¹Cape Town (ZA)
- F21 End of life informations obtained by a treatment survey. Preliminary data of AIO and AKS Colon Cancer Registry**
Werner Freier¹, Jens Papke², Heinrich Fiechtner³, Norbert Marschner⁴; ¹Hildesheim (DE), ²Neustadt / Sachsen (DE), ³Stuttgart (DE), ⁴Freiburg (DE)

- F22 Comprehensive Geriatric Assessment (CGA). A new approach to subdivide elderly patients according to their functional parameters – Conception of IN-GHO-registry**
Werner Freier¹, Friedemann Honecker², Ulrich Wedding³, Jens Papke⁴; ¹Hildesheim (DE), ²Hamburg (DE), ³Jena (DE), ⁴Neustadt / Sachsen (DE)
- F23 Taking care of the caretaker: The syndrome of therapeutic distress**
Frida Barak¹, Lev Ostrowsky², Shulamith Kreitler³; ¹Ashkelon (IL), ²Ashdod (IL), ³Tel Hashomer (IL)
- F24 Validation of the Spanish version of the ESAS (Edmonton Symptom Assessment Scale)**
Ana Carvajal¹, Carlos Centeno¹, Maria de la Angustias Portela¹, Marina Martinez¹, Julia Urdiroz¹, Ana De Santiago¹; ¹Pamplona (ES)
- F25 Functional dependent measure for cancer patient with some paraplegia**
Paul Kazunari Abe; Chiba (JP)
- F26 Caregivers' communication with patients about illness and death: Initial validation of a scale**
Yaacov G. Bachner¹, Eldad Davidov², Sara Carmel¹; ¹Beer-Sheva (IL), ²Köln (DE)
- F27 Clinical indicators of a pressure ulcer in patients in palliative care: The actions of nursing home care**
Lucia Cerqueira Gomes¹, Mônica de Fátima Bolzan¹, Vera Lucia de Souza Barbosa¹; ¹Rio de Janeiro (BR)
- F28 "Has the patient been more confused lately?" A prospective study into the sensitivity of SQiD (Single Question in Delirium) screening**
Megan B Sands¹, Andrew J Hartshorn¹, Beatrice P Dantoc¹, Christopher J Ryan¹; ¹Sydney (AU)
- F29 Symptom management performance checklist: Development of a new assessment instrument of oncologists' interventions**
Julie Hess¹, Aurelius Omlin¹, David Blum¹, Dieter Köberle¹, Rolf Oberholzer¹, Florian Strasser¹; ¹St. Gallen (CH)
- F30 Use of the consciousness scale for palliative care as a prognostic factor**
José António Ferraz Gonçalves¹, Rodolfo Gomes¹, Cátia Pinto¹, Natacha Rodrigues¹; ¹Porto (PT)
- F31 How should meaning in life be assessed? A systematic review**
Monika Brandstätter¹, Monika Kögler¹, Gian Domenico Borasio¹, Martin Fegg¹; ¹München (DE)
- F32 The assessment of specialist palliative care need: A common language**
Jane L Sutherland¹, Corinna Midgley²; ¹Havering-atte-Bower (GB), ²Essex (GB)

F33 Have the functional state and the mental state of patient influence on the overload of caregiver during the staying in a palliative care unit?

Olga T. Gil¹, Iratxe Irazábal¹, Beatriz Blanco¹, María I. Arias¹, Rocío Serrano¹, Mónica Dones¹, Vicente J. de Luis Molero¹; ¹Madrid (ES)

F34 SPARC – A screening tool which identifies holistic needs of cancer patients

G Keenleyside¹, Jason Boland¹, Elaine Rogers¹, B Noble¹, Sam H Ahmedzai¹; ¹Sheffield (GB)

Audit & Quality Control

F35 Symptom management by a community palliative care team

Jurgen Abela; Balzan (MT)

F36 Study to investigate to what extent palliative care units in London and the SouthEast of England are following the European Association for Palliative Care guidelines for the management of malignant bowel obstruction

Sarah L Gough¹, Nicholas John Gough¹, Andrew Davies¹; ¹London (GB)

F37 Prescribing and monitoring of corticosteroid use within palliative care – An audit

Andrew Fletcher¹, Anna Murray², Aruna Hodgson², Jenny Wiseman²; ¹Bolton (GB), ²Wigan (GB)

F39 Evaluation of a bereavement evening service in a London hospice

Rosanna Heal¹, Nigel Alan Hartley¹; ¹London (GB)

F40 How is end-of-life care performed in a Norwegian teaching hospital?

Dagny Faksvåg Haugen¹, Ester Maria Søvik¹, Katrin Ruth Sigurdardottir¹; ¹Bergen (NO)

F41 Audit of discharge planning and delays in discharge of in-patients at a specialist palliative care unit

Emma Charlotte Frampton; Reading (GB)

F42 Standards for social worker in palliative care in Sweden

Inger Benkel¹, Solveig Hultkvist², Kerstin Karlsson¹, Carina Mannefred³, Susanne Mähler⁴, Ingrid Orsholm²; ¹Gothenburg (SE), ²Stockholm (SE), ³Borås (SE), ⁴Solna (SE)

F43 Managing agitation at the end of life: How much sedation is required in different care settings?

Sabine Auth-Eisernitz¹, Heino Hugel¹, Ged Corcoran¹; ¹Liverpool (GB)

F44 Audit of the prescription of strong opioids at the point of referral to specialist palliative care

Lindsay E McNeil¹, Ruth Isherwood², Alison Mitchell²; ¹Ayr (GB), ²Glasgow (GB)

- F45 Audit of diagnosis and management of anaemia in patients referred to a hospital support team for palliative care**
Bill Noble¹, Becky Hirst¹; ¹Sheffield (GB)
- F46 First home visit to patients referred to a specialist palliative care team. Patient characteristics and symptoms, team interventions and use of resources**
Tove Vejlggaard¹, Inge Buus¹, Grethe Misser Hansen¹; ¹Vejle (DK)
- F47 Changes in anti-cholinergic load from regular prescribed medications in palliative care as death approaches**
Meera Agar¹, David C Currow¹, John Plummer¹, Rebecca Seidel¹, Ryan M Carnahan², Amy P Abernethy³; ¹Adelaide (AU), ²Oklahoma (US), ³North Carolina (US)
- F48 Development of a computer-based documentation system for palliative care units**
Christina Grebe¹, Franz Rainer¹, Imke Strohscheer²; ¹Vöcklabruck (AT), ²Graz (AT)
- F49 An assessment of the implementation of palliative care standards in South African hospices**
Kath DeFilippi¹, Sue Cameron¹; ¹Cape Town (ZA)
- F50 Development of a statewide database for quality monitoring and improvement in palliative care**
Amy P Abernethy¹, Janet BulP, Jane L. Wheeler¹, Agbessi Gblokpor¹, Jennifer Marcello¹, S. Yousuf Zafar¹; ¹Durham (US), ²Flat Rock NC (US)
- F51 Level of satisfaction of caregivers attended by a support palliative care team in a teaching hospital**
Jaume Canal¹, Concepcion Palomar¹, Ana Jimenez¹, Eva Barallat¹, Teresa Juvero¹, Maria Nabal¹; ¹Lleida (ES)
- F52 Retrospective audit of acute sickle painful crisis**
Elaine Cachia¹, Youssef Sorour¹, Debbie Saunby¹, Sam H Ahmedzai¹, Josh Wright¹; ¹Sheffield (GB)
- F53 Hospice friendly hospitals – Developing an audit and evaluation strategy for a national programme**
David Clark¹, Kieran McKeown², Orla Keegan²; ¹Lancaster (GB), ²Dublin (IE)
- F54 Access to interventional pain management-available to all who need it?**
Julie Bellieu¹, Emer McKenna¹, Andrew Jones¹, Manohar L Sharma¹, Heino Hugel¹; ¹Liverpool (GB)
- F55 Audit of management of malignant spinal cord compression in an Irish regional hospital**
Denise M Hayes¹, Jane Fleming²; ¹Cork (IE), ²Waterford (IE)

- F56 Audit of medical management of inoperable bowel obstruction in a specialist palliative care unit**
Denise M Hayes¹, Elaine M Wallace¹, Marie Claire Cronin¹, Tony O'Brien¹; ¹Cork (IE)
- F57 Opioid rotation practices in a specialist palliative care unit**
Breffi L Hannon¹, Tony O'Brien¹, Marie Murphy¹; ¹Cork (IE)
- F59 Does the doctor listen to the consultant palliative care team? An assessment**
Monica Escher¹, Marie Besson¹, Jules Desmeules¹, Valérie Piguet¹; ¹Geneva (CH)
- F60 Changes in the consultation activities in the certified nurse for palliative care in Shimane University Hospital**
Ruiko Hatto¹, Yoji Saito¹, Toshihiko Nakatani¹, Takuji Inagaki¹; ¹Izumo (JP)
- F61 The experience of seven years of domiciliary palliative care from 2000 to 2007**
Giorgio Dalia; Palermo (IT)
- F62 Implementation of the Liverpool Care Pathway (LCP) in a teaching hospital in Switzerland: A story of success**
Steffen Eychmueller¹, Barbara Grossenbacher-Gschwend¹; ¹St. Gallen (CH)

Basic Science & Translational Research

- F63 Health care use and expenses at the end of life: Do we care?**
Birgit Gielen¹, Anne Remacle¹, Raf Mertens¹; ¹Brussel (BE)
- F64 Early detection of bone metastasis by 11C-Choline-PET/CT: A feasibility study in patients with prostate cancer**
Ruth Graeter¹, Christine Lang¹, Pirus Ghadjar¹, Sven Norbert Reske², Hans Werner Gottfried³, Daniel Aebersold¹, Norbert Manfred Blumstein¹; ¹Bern (CH), ²Ulm (DE), ³Göttingen (DE)
- F65 [11C]-choline PET/CT imaging for Restaging of prostate cancer patients with biochemical relapse after low-dose rate brachytherapy**
Pirus Ghadjar¹, Peter Michael Messer², Ines Schmidt², Sven Norbert Reske², Hans Werner Gottfried³, Daniel Aebersold¹, Norbert Manfred Blumstein¹; ¹Bern (CH), ²Ulm (DE), ³Göttingen (DE)
- F66 Can patient characteristics predict serum concentrations and the ratio between oxycodone, noroxycodone and oxymorphone? A multicentre cross-sectional study**
Trine Andreassen¹, Pål Klepstad¹, Kristin Bjorda², Staffan Lundström³, Andrew N. Davis⁴, Stein Kaasa¹, Ola Dale¹; ¹Trondheim (NO), ²Oslo (NO), ³Stockholm (SE), ⁴Sutton (GB)

F67 Effects of opioids on cellular immunity: Importance for supportive and palliative care

Jason Boland¹, Sam H Ahmedzai¹; ¹Sheffield (GB)

F68 Impact of therapy with octreotide and butylscopolamine on frequency of emesis in malignant bowel obstruction

Florian Eisner¹, Walter Schippinger¹, Hellmut Samonigg¹; ¹Graz (AT)

F69 C-reactive protein as a prognosis indicator in solid tumors: A systematic review

Declan Walsh¹, Nabila Bennani-Baiti¹; ¹Cleveland (US)

Bereavement

F70 From interviews to a nation-wide study on siblings having lost a brother or sister to cancer

Alexandra Eilegard¹, Gunnar Steineck¹, Ulrika Kreicbergs¹; ¹Stockholm (SE)

F71 Bereavement support – A pilot project in rural Australia

Virginia Morris¹, Elizabeth Beresford¹; ¹Gold Coast (AU)

F72 The voices of experience: An interpretative phenomenological analysis of parental accounts allied to the quality of life following adult child death

Elaine Joanne Duro¹, Aimee Aubeeluck²; ¹Derbyshire (GB), ²Nottingham (GB)

F73 Distress in bereaved caregivers

Mai-Britt Guldin¹, Maja O'Connor¹, Anders Bonde Jensen¹; ¹Aarhus (DK)

F74 Support groups for bereaved young adults, aged 18-30 years

Solveig E.K. Hultkvist; Stockholm (SE)

F75 Teenagers loosing a parent to cancer – Risk factors causing long term morbidity

Tove Bylund Grenklo¹, Carl Johan Fürst¹, Unnur Valdimarsdottir¹, Ulrika Kreicbergs¹, Gunnar Steineck¹; ¹Stockholm (SE)

F76 A bereavement service for children and adolescents run by a charity. Development of a special programme for bereaved boys since 2005 – www.allesistanders.de

Wilhelm Freiherr von Hornstein¹, Ulrike Bilger¹, Sandra Michels¹; ¹Freiburg im Breisgau (DE)

Education

F77 Hospital nurses understanding of the palliative care needs of patients with learning disabilities: A survey questionnaire

Malcolm Cooper¹, Maureen Gambles¹; ¹Liverpool (GB)

- F78 Psycho-existential training for health care workers – Does this improve patient care and reduce burnout?**
Carol C Gouveia e Melo¹, David Oliver¹; ¹Chatham (GB)
- F79 Development of service learning in an end-of-life setting; An interpretive descriptive study**
Michelle N Funk; Kamloops (CA)
- F80 Advance care planning in a large tertiary hospital: Results of a hospital-wide intervention**
Ruth Piers¹, Nele Van Den Noortgate¹, Dominique Benoit¹, Wim Schrauwen¹; ¹Gent (BE)
- F81 Using an innovative educational programme to enhance end of life care in residential care homes**
Helen B de Renzie-Brett¹, Tina Fear²; ¹Bradford-on-Avon (GB), ²Bristol (GB)
- F82 Connecting European universities: An experience of higher education strengthening in palliative care, through TEMPUS PROGRAMME, founded by European Commission, in collaboration with the no-profit Italian foundation, Fondiaria-SAI**
Maurizio Mannocci Galeotti¹, Luciano Orsi², Angelo Raffaele De Gaudio¹; ¹Firenze (IT), ²Crema (IT)
- F83 Views, experiences and educational needs of community nurses about advance care planning**
Jane E Seymour¹, Sheila Kennedy¹, Kathryn Almack¹, Brian Crosbie¹, Maddie Welton²; ¹Nottingham (GB), ²Sheffield (GB)
- F84 Current status of physicians in Austria having a diploma in palliative medicine**
Michaela Werni-Kourik¹, Georg Pinter¹, Franz Zdrahal¹, Walter Dorner¹; ¹Wien (AT)
- F85 Working together: Challenges and opportunities in delivering and designing Communication Skills Training across one UK Cancer Network**
Sarah JF Russell¹, Carolyn Fowler², Laureen Hemming³, Sue Plummer⁴, Marie Savage⁵; ¹Berkhamsted (GB), ²Welwyn Garden City (GB), ³Hatfield (GB), ⁴Watford (GB), ⁵Luton (GB)
- F86 How to teach about death and dying?**
Marie Macková¹, Marie Lazárková²; ¹Brno (CZ), ²Znojmo (CZ)
- F87 Teaching composure: Enhancing nurses end-of-life skills in a multi-cultural society**
Gania Cohen¹, Maureen Ben-Nun¹; ¹Rehovot (IL)
- F88 An innovation in end of life care nurse education**
Liz Bryan¹, Nigel Alan Hartley²; ¹Sydenham (GB), ²London (GB)

- F89 Tracheostomy care in a hospice setting: A study to evaluate the impact of a tracheostomy teaching intervention and assessment on qualified nurses' level of knowledge and skill**
Carolyn E Barber¹, Mike Barrett¹, Joy R Ross¹; ¹London (GB)
- F90 A student self learning module for the palliative care unit: You the learner, the person in your care & the interprofessional care team**
Susan Brajtmann¹, Pippa Hall¹, Lynda Weaver¹, Dawn Mullins¹, Enkenyelesh Bekele¹, Kevin Barclay¹, Carolyn Barnes¹; ¹Ottawa (CA)
- F91 Humour in palliative care – A new concept for education and communication**
Andreas Kessler¹, Katja Iser¹, Ute Dreher¹, Marion Mueller¹; ¹Ravensburg (DE)
- F92 Effects of “hospice nursing training program” for dying patients care behaviors of nurses in non-hospice care unit**
Wan-I Chen¹, Yen-Gan Chiou¹, Pei-Rong Chang¹, Ching-Yi Yai¹; ¹Kaohsiung Hsien (TW)
- F93 Predictors of Spanish hospital nurses' experiences of caring for terminally ill patients**
Maria Arantzamendi¹, Silvia Corchon¹, Ana Carvajal¹, Marina Martínez¹, Alison Richardson², Julia Addington-Hall³; ¹Pamplona (ES), ²London (GB), ³Southampton (GB)
- F94 Knowing what to expect may help to cope**
Christopher Klinger¹, Maryse Savoie², Lynn Mc Donald¹; ¹Toronto (CA), ²Montreal (CA)
- F95 An integrated four year curriculum in palliative care for medical undergraduates**
Steven Radwany¹, Dean Frate¹, Barbara Palmisano², Margaret Sanders², Erica Stovsky¹; ¹Akron (US), ²Rootstown (US)
- F96 The “Chain of Palliative Care” and the “public knowledge approach” – New concepts for introduction of palliative care to the public**
Georg Bollig; Bergen (NO)
- F97 A six-step approach to education in palliative care for ALL**
Georg Bollig; Bergen (NO)
- F98 Teaching medical students about death and dying**
Eleanor Flynn; Melbourne (AU)
- F99 Psychosocial skills in palliative care**
Nicola Beech¹, John Lansdell¹, Karen Norman¹, Mary Mahoney¹; ¹Crawley (GB)
- F100 Understanding to palliative care among Chinese cancer patients**
Wen-Wu Cheng; Shanghai (CN)

- F101 Sustainability of train the trainer education in palliative care**
Bernadette H.A. Fittkau-Toennesmann; Muenchen (DE)
- F102 Lay Teaching – Enabling palliative care clinicians to provide spiritual care education**
Clare Finnegan¹, Karen Groves¹, Baldry Cath¹; ¹Southport (GB)
- F103 The emotional care load – Palliative care nursing in community settings**
Susan M Fletcher; Melbourne (AU)
- F104 High tech volunteering in palliative care**
Parag Bharadwaj¹, Ayesha Sheikh², U.A. Tanvir Alam³; ¹Los Angeles (US), ²New Jersey (US), ³Great Yarmouth (GB)
- F105 Palliative care for psycho geriatric patients from a physiotherapeutic view**
Louis F.H. Hollander¹, Wil P Dielis¹; ¹Enschede (NL)
- F106 Learning from challenges and opportunities in the recruitment of patients with advanced cancer within a hospice/palliative day care setting**
Thomas James Lynch¹, Mari Lloyd-Williams², Sheila Payne¹, Joanne Reeve³, Claire Keogh², Zephyrine Barbarachild¹, Caroline Williams²; ¹Lancaster (GB), ²Liverpool (GB), ³Manchester (GB)
- F107 The age of sophisticated educational browsing: Google Scholar vs Pubmed**
Letty Condon¹, Jason Boland¹, Elaine Cachia¹, Sam H Ahmedzai¹; ¹Sheffield (GB)
- F108 Teach the teachers: Implementation of palliative care in long term care for the elderly**
Stein Borge Husebo¹, Jenny Foss Abrahamsen¹, Torbjorg Aamdal¹, Bettina S Husebo¹; ¹Bergen (NO)
- F109 Targeted competencies for palliative medicine speciality?**
Nathalie Denis-Delpierre¹, Isabelle Marcoux¹, Jacques Henri Barrier¹, Donatien Mallet², Philippe Colombat³, Benoît Burucoa⁴, Gérard Dabouis¹; ¹Nantes (FR), ²Luynes (FR), ³Tours (FR), ⁴Bordeaux (FR)
- F110 A survey of the provision of palliative care continuing professional education in the republic of Ireland in 2008**
Deborah Hayden¹, Clodagh Cooley¹; ¹Dublin (IE)
- F111 Expanding non-malignant palliative care services in an Irish hospice: A multidisciplinary educational needs analysis**
Deborah Hayden¹, Pauline Ui Dhuibhir¹; ¹Dublin (IE)
- F112 Developing a novel education programme on end of life care for professional carers**
Rachel Gaffney¹, Helen Corner¹, Lara Alloway¹; ¹Basingstoke (GB)

- F113 Addressing suffering through effective collaborative teamwork: Innovations in on-line learning**
Susan Brajtman¹, Pippa G Hall¹, Lynda Weaver¹, Tim Willett¹, Peter Barnes¹; ¹Ottawa (CA)
- F114 Project “developing competence in pain treatment of medical teams and clergymen by transfer of Polish professional experience into Ukraine”**
Anna Mardofel¹, Aleksandra Ciałkowska-Rysz¹; ¹Łódź (PL)
- F115 Effect of palliative care teaching and community hospice visit on medical students’ knowledge and attitudes toward care of terminally ill cancer patients**
Maria Fidelis C. Manalo; Quezon City (PH)
- F116 Basis for the development of educational curricula regarding rehabilitation in palliative care**
María L. Daud¹, Marisa Pérez¹, Margarita Jorge¹, María Caglio¹, Vilma Tripodoro¹, Elda Figueredo¹, Gladys Grance¹, Elena D’Urbano¹, Silvina Dulitzky¹, Jorge Eisenclas¹, Gustavo De Simone¹, Katy Newell Jones²; ¹Buenos Aires (AR), ²Oxford (GB)
- F117 Development of teachings in palliative care for medical students in Germany**
Isabel Dietz¹, Ines Polkläsener², Alexander Laske³; ¹München (DE), ²Witten (DE), ³Greifswald (DE)
- F118 Are before-after studies appropriate to determine the effectiveness of physicians’ training in palliative care?**
Hermann Ewald¹, Bernhard N. Kimmig¹; ¹Kiel (DE)
- F119 Undergraduate education program – Do we need to work it out?**
Aleksandra Kotlinska-Lemieszek; Poznan (PL)
- F120 Multiprofessional learning and teaching in palliative care**
António Barbosa¹, Vivelinda Guerreiro¹, Isabel Galriça Neto¹; ¹Lisboa (PT)
- F121 Social work in hospice and palliative care: The emerging landscape**
Grace Christ¹, Susan Blacker²; ¹New York City (US), ²Toronto (CA)

End of Life Care & Quality of Death

- F122 ‘Birds of pray!’ – A religious needs resource**
Karen E Groves¹, Catherine Rosemary Baldry¹, Phil Saltmarsh¹, Dawn Valentine Gray¹, Sr Maureen O’Driscoll¹, Graham Ellams¹; ¹Merseyside (GB)
- F123 Examination of quality of life for older people in receipt of palliative care and older people in continuing care facilities, with specific reference to dignity and respect**
JP Faulkner¹, Pearl Treacy¹, Gerard Fealy¹, Jonathan Drennan¹; ¹Dublin (IE)

F124 Improving the experience of dying patients: Evidence from 10,000 deaths in Wales

Rosalynde P Johnstone¹, Andrew Fowell¹, Ilora Finlay²; ¹Caernarfon (GB), ²Cardiff (GB)

F125 Importance of nutrition therapy for patients in the terminal phase of cancer – Activities of a palliative care nutrition support team

Takashi Higashiguchi; Mie (JP)

F126 Enhancing end-of-life care in the community

Barbara A Anderson¹, Debbie Kralik¹; ¹Glenside (AU)

F127 Improving end of life care in care homes in the United Kingdom: An evaluation of the Care Homes End of Life Supportive Services programme (CHESS)

John Chatwin¹, Sheila Payne¹, Jane Seymour², Christine Ingleton³; ¹Lancaster (GB), ²Nottingham (GB), ³Sheffield (GB)

F128 Quality of EOL policy in a large tertiary hospital: Differences among specialties

Ruth Piers¹, Nele Van Den Noortgate¹, Wim Schrauwen¹, Dominique Benoit¹; ¹Gent (BE)

F129 'Whistlestop tours?' A pilot of rapid ambulance transfers at end of life

Karen E Groves¹, Steve Barnard²; ¹Southport, Merseyside (GB), ²Greater Manchester (GB)

F130 Advance care planning in advanced cancer – Can it be achieved? A patient preference trial of a care planning discussion

Louise Jones¹, Cate Barlow¹, Jane Harrington¹, Michael King¹; ¹London (GB)

F131 Prognostication by the multidisciplinary team – Are we accurate?

Melanie Jayne Brooks¹, Katie Marley², Maria Jones¹, Cathy Lewis-Jones²; ¹Liverpool (GB), ²Wirral (GB)

F132 End-of-life care for seniors: A Canadian research team

Pierre Allard¹, Frances Legault¹, Susan Brajtman¹, Christine McPherson¹, Mary Lou Kelley², Kevin Brazil³, Sharon Kaasalainen³, Marg McKee², Keith Wilson¹, Manal Guirguis-Younger¹; ¹Ottawa (CA), ²Thunder Bay (CA), ³Hamilton (CA)

F133 Diagnosing dying: Exploring the process by which palliative care staff recognise the last days of life

Richard Latten¹, E.M.I. Williams¹, Maureen Gambles¹, John E Ellershaw¹; ¹Liverpool (GB)

F134 Palliative care in acute leukaemia in a Swedish region during 2004 – 2005

Hege Kristin Garelius¹, Dick Stockelberg¹; ¹Göteborg (SE)

F135 Supporting end of life care in care homes: A survey

Arun Kumar¹, Jane Seymour¹, Katherine Froggatt²; ¹Nottingham (GB), ²Lancaster (GB)

- F136 'Preferred Priorities for Care': Experiences of patients, families and practitioners in using an advance care planning tool**
Iris Cohen Fineberg¹, Lera O'Connor¹; ¹Lancaster (GB)
- F137 A model of collaborative working in end of life care for patients with a non cancer diagnosis**
Anne Alsop; Bath (GB)
- F138 Requests to forgo potentially life-prolonging treatment and to hasten death in terminally ill cancer patients: A prospective study**
Jean-Jacques Georges; Utrecht (NL)
- F139 "Unbearable suffering": The experience of patients with an actual request for euthanasia**
Marianne Dees¹, Myrra Vernooij-Dassen¹, Wim Dekkers¹, Chris Weel van¹; ¹Nijmegen (NL)
- F140 29 cases of long survival cancer patients treated with exclusive best supportive care: Brainstorming around palliative chemotherapy**
Simone Piazza¹, Franco Vicario¹, Aurelio Prino¹, Silvia Poletti¹, Cristiano Longoni¹, Oscar Alabiso¹; ¹Novara (IT)
- F141 Palliative oncology care in 2009: Which?**
Emanuela Porta¹, Barbara De Luca¹, Barbara Rizzi¹, Daniela Cattaneo¹; ¹Milano (IT)
- F142 Facing death as part of end of life care**
Erna Haraldsdottir; Edinburgh (GB)
- F144 Seizing the window of opportunity**
Wendy Jacqueline Freeman; Welwyn Garden City (GB)
- F145 Factors associated with well-being at the end of life**
Michael A. Echteld¹, Ebun Abarshi¹, Bregje D. Onwuteaka-Philipsen¹, Ge A. Donker², Lieve van den Block³, Luc Deliens¹; ¹Amsterdam (NL), ²Utrecht (NL), ³Brussels (BE)
- F146 A qualitative study of the experiences of nurses caring for patients in the hospice setting**
Jacinta M Kelly; Sligo (IE)
- F147 Implementation of the Liverpool Care Pathway documentation in two palliative care units in Iceland – Has it made a difference?**
SVandis Iris Halfdanardottir¹, Valgerdur Sigurdardottir¹, Kristin Lara Olafsdottir², Gudrun Dora Gudmannsdottir²; ¹Kopavogur (IS), ²Reykjavik (IS)
- F148 Working together – Pulmonary rehabilitation and palliative care**
Robert Case¹, Collette Murray¹, Clare Littlewood¹; ¹Merseyside (GB)
- F149 The views, experiences and needs of older people in relation to end of life care**
Sheila M Kennedy¹, Jane Seymour¹, Kathryn Almack¹; ¹Nottingham (GB)

- F150 To go on living or to die? Perceptions of chronic physically ill Swiss people**
Alexandra Bernhart-Just; Zurich (CH)
- F151 All deaths, all causes, all settings – A prospective all deaths audit**
Clare Finnegan¹, Karen Groves¹; ¹Southport (GB)
- F152 EAPC framework for institutional guidelines for the use of Sedation in Palliative Care: A work in progress**
Nathan Cherny¹, Lukas Radbruch²; ¹Jerusalem (IL), ²Aachen (DE)
- F153 Thromboprophylaxis in Austrian palliative care inpatient units**
Verena Gartner¹, Katharina Kierner¹, Marco Hassler¹, Herbert H. Watzke¹; ¹Wien (AT)
- F154 Palliative sedation in patients attends by a home care support team**
Alfredo Zamora Mur¹, Arantxa Zamora Catevilla¹, María Luisa Millán¹, Jorge Alarcón², Laia Alonso¹, Pilar Jordá², Ana Grau¹, Encarnación Moles¹, Emilio González²; ¹Huesca (ES), ²Zaragoza (ES)
- F155 Does a structured end of life-care protocol (Liverpool Care Pathway for the Dying Patient, LCP) improve treatment quality and caregiver morbidity? First results of a prospective semiquantitative survey**
Regula Gasser¹, Brigitte Boothe¹, Johannes Bueckli²; ¹Zuerich (CH), ²Bern (CH)
- F156 What do palliative care physicians know about their patients end of life individual preferences?**
Guido Miccinesi¹, Claudia Borreani², Cinzia Brunelli², Elisabetta Bianchi², Laura Piva²; ¹Florence (IT), ²Milano (IT)
- F157 End-of-life preferences interview: Eligibility criteria and applicability of a novel instrument**
Guido Miccinesi¹, Cinzia Brunelli², Elisabetta Bianchi², Laura Piva², Claudia Borreani²; ¹Florence (IT), ²Milano (IT)
- F158 Dying in the emergency department**
Julie Bellieu¹, Rehman Raj¹, Clare Littlewood¹, Sarah Graham¹; ¹Liverpool (GB)
- F159 Challenges in end of life care in a palliative care unit in Brazil**
Cristhiane S Pinto¹, Teresa Reis¹, Shirley Burburan¹, Lúcia Cerqueira¹, Renata Freitas¹, Margarida Tutungi¹; ¹Rio de Janeiro (BR)
- F160 Changed patterns in palliative sedation practice after the introduction of a national guideline**
Jeroen Hasselaar¹, Stans Verhagen¹, Andre Wolff¹, Yvonne Engels¹, Ben Crul¹, Kris Vissers¹; ¹Nijmegen (NL)
- F161 Continuous deep sedation: Nurses' involvement in decision-making**
Els Inghelbrecht¹, Johan Bilsen¹, Freddy Mortier², Luc Deliens¹; ¹Brussels (BE), ²Ghent (BE)

F162 Metropolitan versus nonmetropolitan variation in place of death in Belgium, the Netherlands and England

Dirk Houttekier¹, Joachim Cohen¹, Johan Bilsen², Julia Addington-Hall³, Bregje Onwuteaka-Philipsen⁴, Luc Deliens⁴; ¹Brussels (BE), ²Ghent (BE), ³Southampton (GB), ⁴Amsterdam (NL)

F163 Expectations about and impact of the Liverpool Care Pathway for the dying patient (LCP) in an Italian hospital

Silvia Di Leo¹, Monica Beccaro¹, Stefania Finelli¹, Claudia Borreani², Massimo Costantini¹; ¹Genoa (IT), ²Milan (IT)

F164 Dying of cancer in Sweden – Report from the Swedish Palliative Register 2007

Bertil Axelsson¹, Staffan Lundström², Greger Fransson³, Per-Anders Heedman⁴, Carl Johan Fürst²; ¹Östersund (SE), ²Stockholm (SE), ³Oskarshamn (SE), ⁴Linköping (SE)

F165 Quality at the end of life – Report from the Swedish Palliative Register 2007

Per-Anders Heedman¹, Bertil Axelsson², Greger Fransson³, Staffan Lundström⁴, Carl Johan Fürst⁴; ¹Linköping (SE), ²Östersund (SE), ³Oskarshamn (SE), ⁴Stockholm (SE)

F166 Constructing dying and death; An ethnographic account of the last months of life of cancer patients

Despina Anagnostou¹, Alison Richardson¹, Theresa Wiseman¹, Irene Higginson¹; ¹London (GB)

F167 Are levels of comfort (as documented on the Liverpool Care Pathway for the dying patient -LCP) in the last 24 hours of life comparable for both cancer and non cancer patients?

Maureen A Gambles¹, Tamsin M McGlinchey¹, Deborah Murphy¹, John E Ellershaw¹; ¹Liverpool (GB)

F168 Attitudes of Austrian patients with malignancies towards writing advance directives

Katharina Anna Kierner¹, Verena Gartner¹, Birgit Hladschik-Kermer¹, Marco Hassler¹, Herbert Watzke¹; ¹Wien (AT)

F169 ‘Vigil views’ – Impact of using care of the dying pathway in acute hospital setting

Jane Hough¹, Barbara Jack², Karen Groves¹; ¹Southport (GB), ²Ormskirk (GB)

F170 Assessing the impact of an LCP Facilitator using data from the National Care of the Dying Audit Hospitals England (NCDAH)

Maureen A Gambles¹, Tamsin M McGlinchey¹, Deborah Murphy¹, John E Ellershaw¹; ¹Liverpool (GB)

F171 Are patients who die at home any different?

Maria Madalena Feio¹, Amílcar Lopes Oliveira¹, Maria Manuel Pinto¹, Maria Manuel Tomé¹, Sandra Neves¹, Sofia Lupi¹, Francisca Coimbra¹; ¹Lisboa (PT)

- F172 Refraining from blood product substitution in patients with far advanced haematological malignancies – Case series and conceptual framework**
Bernd Alt-Epping¹, Dirk Eggebrecht¹, Nina Eulitz¹, Friedemann Nauck¹; ¹Göttingen (DE)
- F173 Reversal of increasing trends in hospital deaths is associated with development of hospice home care services**
Cynthia Ruth Goh¹, Arthur L Beng¹, Jissy Vijo Poullose¹, Akhileswaran Ramaswamy¹; ¹Singapore (SG)
- F174 A survey of in-patient care of St Lazarus Hospice in Krakow, Poland in the years 2000-2007**
Izabela Bętkowska¹, Tomasz Grądalski¹, Barbara Burczyk-Fitowska¹, Anna Białoń-Janusz¹; ¹Kraków (PL)
- F175 Study about the knowledge and use main caregivers of advanced cancer patients have of the advanced directives (AD) in the oncology palliative care service**
Jesús González-Barboteo¹, Silvia Llorens¹, José Espinosa¹, José Porta-Sales¹, Jorge Maté-Méndez¹, Cristina Garzón¹, Adela Fernández¹, Albert Tuca-Rodríguez¹, Rosa Artigas¹; ¹L'Hospitalet de Llobregat (ES)
- F176 An examination of end of life care in a Canadian long term care home using the Canadian Hospice Palliative Care Association Norms of Practice**
Mary Lou Kelley¹, Elaine Wiersma¹, Joan Sims Gould², Jean Kozak², Sonja Habjan¹, Lise Arseneau¹, Michael MacLean¹; ¹Thunder Bay (CA), ²Vancouver (CA)
- F177 Do German physicians feel comfortable with advance directives?**
Carolin Eichstädt¹, Alexander Laske¹, Wolf Diemer¹; ¹Greifswald (DE)
- F178 Care of the dying: The last 72 hour of life**
Maja Ebert Moltara¹, Eva Cirič¹, Mirjana Rajer¹, Jasenka Gugič¹, Barbara Segedin¹, Klelija Strancar¹, Jožica Cervek¹; ¹Ljubljana (SI)
- F179 Changing the culture – Reversing the trend in place of death**
Karen E Groves¹, Alexandra Stevenson², Catherine Rosemary Baldry¹; ¹Southport, Merseyside (GB), ²Southport (GB)
- F180 Prescribing in pink! Development of a specific 'end of life' hospital inpatient prescription sheet**
Karen E Groves¹, Sheena Walker¹, Sarah Ann Groves¹; ¹Southport (GB)
- F181 Overcoming barriers to improve end of life care in developmentally disabled adults residing in group homes in North Sydney**
Shiraz Irani; New South Wales (AU)

Epidemiology

F182 Indications for palliative medicine consultations in the emergency department – A retrospective case series

Christopher Guyer¹, H. Bindu Vanapalli¹, Karen M Estrine¹, Kory S London¹, Denise Waselewsky¹, Maragret Campbell¹, Robert Zalenski¹; ¹Detroit (US)

F183 Evolution of opiate use in two hospitals of Madrid (Spain) between 2002 and 2006

Diego Ruiz Lopez¹, Alberto Alonso Babarro¹, Pilar Gomez Salcedo¹, Maria Varela Cerdeira¹, Vicente José de Luis Molero¹; ¹Madrid (ES)

F184 Survival of patients referred to a palliative care service in Sheffield, England

Becky Hirst¹, Bill Noble¹; ¹Sheffield (GB)

F185 Home Care Support Team in Barbastro at the first year of activity

Alfredo Zamora Mur¹, Arantxa Zamora Catevilla¹, Laia Alonso¹, Jorge Alarcón², Ana Belén Laborda¹, Pilar Jordá², Emilio González², Jesús Florián¹, Pilar Bueso¹; ¹Huesca (ES), ²Zaragoza (ES)

F186 The care pathway at the end of a cancer patient's life

Luca Ottolini¹, Silva Franchini¹, Massimo Destro¹, Laura Battisti¹; ¹Trento (IT)

F187 Specialised palliative care in Sweden – A needs assessment based on the Swedish palliative care directory and the Swedish cause of death register

Carl Johan Fürst¹, Sylvia Sauter¹; ¹Stockholm (SE)

F188 Chronic renal insufficiency in palliative care: Possible impact on drug excretion

Walter Schippinger¹, Ingrid Osprian¹, Florian Eisner¹, Hellmut Samonigg¹; ¹Graz (AT)

F189 Prevalence of anaemia in cancer patients receiving palliative care

Ingrid Osprian¹, Walter Schippinger¹, Hellmut Samonigg¹; ¹Graz (AT)

Ethics

F190 The Japan HOspice and Palliative care Evaluation study (J-HOPE study): Views about legalization of death with dignity and euthanasia among the bereaved – Those who have experienced the death of a family member at a palliative care unit

Nao Okishiro¹, Sho Goya², Satoru Tsuneto², Mitsunori Miyashita³, Yasuo Shima⁴; ¹Mino (JP), ²Suita (JP), ³Tokyo (JP), ⁴Tsukuba (JP)

F191 Islamic views on death and dying

Kassim Baddarni; Arraba (IL)

F192 Palliative care research in developing countries: Ethical deliberations and practical solutions

Barbara A Jack; Ormskirk nr Liverpool (GB)

F193 Presence of advance directives in cancer patient with metastatic spinal cord compression

Ying Guo¹, Josephine R Bianty¹, Lynn J Palmer¹; ¹Houston (US)

F194 The attitudes of Indian palliative-care nurses and physicians toward voluntary euthanasia

Joris Gielen¹, Harmala Gupta², Ambika Rajvanshi², Sushma Bhatnagar², Seema Mishra², Arvind K Chaturvedi², Stef Van den Branden¹, Bert Broeckaert¹; ¹Leuven (BE), ²New Delhi (IN)

F195 Terms and concepts used by ill and healthy people in interviews on advance directives

Birgit Jaspers¹, Matthias Becker², Claudius King¹, Eberhard Klaschik², Lukas Radbruch³, Raymond Voltz⁴, Friedemann Nauck¹; ¹Göttingen (DE), ²Bonn (DE), ³Aachen (DE), ⁴Köln (DE)

F196 On being disproved in decisions of life and death

Ulrich S. Schuler¹, Katharina Schütte¹; ¹Dresden (DE)

F198 The importance of social support in decision making regarding terminal care: What ALS patients in Japan can teach us

Yoshitaro Hotta¹, Hitoshi Arima¹, Akira Abe¹, Kazuko Matoba¹; ¹Kyoto (JP)

F199 Palliative sedation in palliative care unit – Own experience

Beata Stypula-Ciuba¹, Jerzy Jarosz¹, Elwira Goraj¹, Ewa Tomaszewicz¹, Wiktor Chmielarczyk¹; ¹Warsaw (PL)

F200 The setting of advance directives in Germany: The patients' views

Matthias Becker¹, Birgit Jaspers², Eberhard Klaschik¹, Lukas Radbruch³, Raymond Voltz⁴, Friedemann Nauck²; ¹Bonn (DE), ²Göttingen (DE), ³Aachen (DE), ⁴Köln (DE)

F201 Advanced directives in palliative care – A prospective representative survey in Germany

Birgit Jaspers¹, Friedemann Nauck¹, Christoph Ostgathe², Norbert Krumm³, Lukas Radbruch³; ¹Göttingen (DE), ²Köln (DE), ³Aachen (DE)

Family & Care Givers

F202 A support group programme for relatives during the late palliative phase

Anette Henriksson; Örebro (SE)

- F203 Career satisfaction in palliative care nursing: Implications for staff retention**
Beth Perry; Edmonton (CA)
- F204 Towards the optimal facilitation of family meetings in palliative care: A pilot study to evaluate clinical practice guidelines**
Karen Quinn¹, Peter Hudson¹, Kristina Thomas¹, Sanchia Aranda¹; ¹Melbourne (AU)
- F205 Family meetings in palliative care: Development of multidisciplinary clinical practice guidelines**
Karen A Quinn¹, Peter I Hudson¹, Brendan O'Hanlon¹, Sanchia Aranda¹; ¹Melbourne (AU)
- F206 A natural experiment: Evaluating new interventions to support carers in the UK**
Sheila A Payne¹, Terri O'Brien¹, Christine Ingleton²; ¹Lancaster (GB), ²Sheffield (GB)
- F207 Interventions for supporting informal caregivers of patients in the terminal phase of a disease: Findings from a Cochrane systematic review**
Bridget Candy¹, Louise Jones¹, Adrian Tookman¹, Michael King¹; ¹London (GB)
- F208 What can we learn from relatives of recently deceased persons to improve end of life care?**
Anne Remacle¹, Birgit Gielen¹, Raf Mertens¹; ¹Brussel (BE)
- F209 Artherapy with young children of patients admitted in PCU**
Wadih Rhondali¹, Marilene Filbet¹; ¹Lyon (FR)
- F210 Being a caregiver in Bulgaria**
Nikolay R Yordanov; Vratsa (BG)
- F211 Carer burdon: The impact of caring for dying patients with cancer at home**
Barbara A Jack¹, Mary O'Brien¹; ¹Ormskirk nr Liverpool (GB)
- F212 Factors affecting agreement between patients and their family caregivers on cancer symptom experiences**
Christine J McPherson¹, Keith G Wilson¹, Michelle M Lobchuk², Susan Brajtman¹; ¹Ottawa (CA), ²Winnipeg (CA)
- F213 Examining family satisfaction with medical intensive care**
Nancy Albert¹, Carol Dennison¹, Ruth L. Lagman¹, James Bena¹, Shannon McIntyre¹; ¹Cleveland (US)
- F214 Developing a tool for measuring main caregiver's fears**
Teresa Galea¹, Victoria Romero¹, Silvia Librada¹, Rocio Valentín¹, Florencia Bonino²; ¹Cáceres (ES), ²Badajoz (ES)

F215 Conspiracy of silence prevalence in terminal cancer patients in Extremadura

Mercedes Gil Sierra¹, D. Gámez García², C. Franco Rubio³, A. M. Ayuso⁴, M.T. Alonso Ruiz⁵; ¹Navalmoral de la Mata (ES), ²Plasencia/ Coria (ES), ³Mérida (ES), ⁴Villanueva/Don Benito (ES), ⁵Cáceres (ES)

F216 Caring for a person in advanced illness and suffering from breathlessness at home: Threats and resources

Marjolein H Gysels¹, Irene J Higginson¹; ¹London (GB)

F217 “I can see it in her face when her breathings really bad”: Living with breathlessness: The experiences of caregivers

Farida Malik¹, Marjolein Gysels¹, Irene Higginson¹; ¹London (GB)

F218 Costs and determinants of home-based palliative care in Canada

Denise N Guerriere¹, Brandon Zagorski¹, Lisa Masucci¹, Konrad Fassbender², Peter C Coyte¹; ¹Toronto (CA), ²Edmonton (CA)

F219 Differences in health care professionals’ satisfaction when caring for neurological versus oncological patients – A pilot study on a palliative care unit

Maria K Brunner¹, Martin Hofmann¹, Michael Schneider¹, Sigrid Haarmann-Doetkotte¹, Thomas Hagen¹, Sabine Lacour-Krause¹, Maria Wasner¹, Martin Fegg¹, Stefan Lorenzl¹, Gian Domenico Borasio¹; ¹München (DE)

F220 Complemetary and Alternative Medicine (CAM) in palliative care patients

Heike Büntzel¹, Jens Büntzel¹; ¹Nordhausen (DE)

F221 Breast cancer in a family and the community at large

Stella Mwari Rithara; Nairobi (KE)

Medical Sociology

F222 An experience of Buddhism based palliative care 1: How nurses see the role of Bonze at Vihara unit?

Kazuko Matoba¹, Takafumi Morita¹, Haruo Sakiyama², Takesi Deguch³; ¹Nagaoka-shi (JP), ²Kyoto/Guildford (JP), ³Tokyo (JP)

F223 Palliative care model and Romanian health care system

Daniela Mosoiu¹, Ilona Gorog¹, Aurelian Munteanu²; ¹Brasov (RO), ²Bucharest (RO)

F224 Cross-country differences in physicians’ beliefs about end of life care: The USA and Hungary

Agnes Csikos¹, John Mastrojohn², Teresa Albanese³, Jessica Richmond³, Steven Radwany³; ¹Pecs (HU), ²Alexandria (US), ³Akron (US)

F225 Cancer reflected in the non-medical written press

Daniela Mosoiu; Brasov (RO)

F226 The process of recognising dying – Anything but a simple diagnosis

Sabine Pleschberger¹, Claudia Wenzel¹, Sandra Hornek¹; ¹Wien (AT)

Non-Cancer

F227 Palliative care non cancer

Pilar Sales¹, Macarena Cabrera¹, Gloria Cantarell¹, Maite Buera¹, Eulalia Andreu¹, Esperanza Anton¹; ¹Sabadell (ES)

F228 Amyotrophic lateral sclerosis: From first symptom to the last breath

Macarena Cabrera¹, Pilar Sales¹, Gloria Cantarell¹, Nuria Duaso¹, Maite Buera¹, Eulalia Andreu¹; ¹Sabadell (ES)

F229 Symptomatic therapy of dyspnea in patients with advanced chronic heart failure

Markus Hochgerner¹, Friedrich Fruhwald¹, Imke Strohscheer¹; ¹Graz (AT)

F230 Attitudes towards death of patients feeling severely affected by Multiple Sclerosis in Germany

Maren Galushko¹, Heidrun Golla¹, Christoph Ostgathe¹, Raymond Voltz²; ¹Köln (DE)

F231 Attitudes of severely affected Multiple Sclerosis patients and their health professionals towards palliative care

Heidrun Golla¹, Maren Galushko¹, Christoph Ostgathe¹, Raymond Voltz²; ¹Köln (DE)

F232 Developing palliative medicine services for dementia

Alice I Jordan¹, Paul Paes¹, Isabel Quinn¹, EvaJoanna Alexjuk², Pam Ransom¹, Julian C Hughes¹; ¹Newcastle (GB), ²North Tyneside (GB)

F233 Quality of dying at a cardio-thoracic tertiary referral centre – a survey

Humaira Jamal¹, Edith Adaeze Ubogagu¹; ¹Harefield (GB)

F234 What do relatives think are important aspects of care in patients with severe stroke?

Astrid Adams¹, Bee Wee²; ¹Aylesbury (GB), ²Oxford (GB)

F235 Symptoms in non-cancer conditions near the end of life: Identification and comparison of the most common symptoms in advanced chronic kidney disease and advanced chronic obstructive pulmonary disease

Sam Hart¹, Fliss Murtagh¹, Claudia Bausewein¹, Irene Higginson¹; ¹London (GB)

F236 National Hospice Organization (NHO) terminability criteria for the heart failure. Are valids in our hospital?

Fernando Carmona¹, Amparo Mogollo¹, Daniel Gutiérrez¹, Paula Romero¹, Marina Martín¹; ¹Cádiz (ES)

F237 Prognosis markers in patients who presented heart failure and died in our medicine internal service

Fernando Carmona¹, Amparo Mogollo¹, Daniel Gutiérrez¹, Paula Romero¹, Marina Martín¹; ¹Cádiz (ES)

F238 Palliative care for Indigenous renal clients living in remote Australian settings. A new model and public health collaboration

Mark Boughey; Windsor (AU)

F239 Symptom prevalence and assessment of palliative care needs in people affected by advanced and progressive neurological conditions (Parkinson's disease and related disorders of Progressive Supranuclear Palsy, Multiple Systems Atrophy)

Tariq Z Saleem¹, Irene J Higginson¹, Nigel P Leigh¹; ¹London (GB)

F240 Improving the quality of end of life care for patients with heart failure: An audit of specialist palliative care involvement with heart failure patients

Dylan Harris¹, Mel Jefferson¹; ¹Cardiff (GB)

F241 Perceived needs of German patients feeling severely affected by Multiple Sclerosis: Results of a survey

Maren Galushko¹, Heidrun Golla¹, Alexander Hartwig¹, Christoph Ostgathe¹, Raymond Voltz¹; ¹Köln (DE)

F242 Incorporation of end of life care into heart failure treatment

Marcia E Leventhal¹, Noémi de Stoutz²; ¹Pfeffingen (CH), ²Forch (CH)

F243 The palliative care needs of people living with HIV in Kenya and Uganda: A multicentre qualitative study

Richard Harding¹, Suzanne Penfold¹, Victoria Simms¹, Eve Namisango², Julia Downing², Richard Anthony Powell², M. Atieno², N. Gikaara², G. Munene², C. Nsubuga², G. Banga², J. Kataike², Zipporah Ali³, Faith Mwangi-Powell², Irene Higginson¹; ¹London (GB), ²Kampala (UG), ³Nairobi (KE)

F244 The development and audit of a new self-assessment questionnaire/ referral tool for patients attending an interstitial lung disease clinic

Carla Bruni¹, Tracy Simpson², Julie Southon², Margaret Saunders², Jas Parmar², Nicky Simler²; ¹Chelmsford (GB), ²Cambridge (GB)

F245 Is there any evidence for palliative care in psychiatry? Results of an integrative literature review

Harald Haynert¹, Christian Schulz¹, Martin W Schnell¹; ¹Witten (DE)

F246 Challenges for HIV palliative care in Romania

Alison Sarah Landon; Brasov (RO)

F247 Metabolic factors among advanced dementia patients with pressure ulcers in respect to their sex

Ewa Wysocka¹, Sylwia Dziegielewska¹, Malgorzata Kudzia¹, Lech Torlinski¹; ¹Poznan (PL)

F248 Determinants of the anxiety in chronic renal failure patients

Tomasz Buss¹, Justyna Janiszewska¹, Monika Lichodziejewska – Niemierko¹, Justyna Gołębiewska¹, Mikołaj Majkowicz¹; ¹Gdańsk (PL)

Organisation of Services

F250 Why and when are palliative care patients admitted to hospital?

Eleanor Grogan¹, Jane Atkinson¹, Lorna L Barton¹, Tim Peel¹; ¹Newcastle upon Tyne (GB)

F251 Cardiac symptom control program development

Vincent Thai¹, Justin Ezekowitz¹, Bibiana Cujec¹, Twylla Hodnefield¹, Lea Sanderson¹, Gary Wolch¹; ¹Edmonton (CA)

F252 Defining and describing continuity in supportive and palliative care: The stakeholder view

Sean Hughes¹, Karen Luker¹, Ziv Amir¹; ¹Manchester (GB)

F253 First Croatian national research: “The need of the citizens of Croatia for the palliative care and the establishment of a hospice” as the contribution of the implementation of the palliative care/medicine in Croatian health care system

Morana Brkljacic¹, Vesna Golubovic¹, Alan Sustic¹; ¹Rijeka (HR)

F254 Amyotrophic lateral sclerosis: Multidisciplinary team

Pilar Sales¹, Macarena Cabrera¹, Nuria Duaso¹, Gloria Cantarell¹, Maite Buera¹, Eulalia Andreu¹; ¹Sabadell (ES)

F255 Physiotherapy in palliative care: Luxury or necessity?

Bronwen Hewitt¹, Erin Bugden¹, Polly Levinson¹; ¹Darlinghurst (AU)

F256 A multidisciplinary team for pain and palliative care in a university hospital

Monique Booms¹, J.L.M. Jongen¹, C. van Zuylen¹, Frank Huygen¹, C.C.D. van der Rijt¹; ¹Rotterdam (NL)

F257 Advise from experts: Consultation in palliative care in the Netherlands

Marianne Klinkenberg; Amsterdam (NL)

F258 Use of UK voluntary sector cancer support services

Zoe J Cockshott¹, Carol Thomas¹, Sheila Payne¹, David Fyfe¹; ¹Lancaster (GB)

F259 Careprogram palliative care in the Netherlands: Networkcare improved!

Henk-Jan de Winter¹, Marlene Middelburg¹; ¹Utrecht (NL)

- F260 Assessment of the needs for palliative care at Keio University Hospital – Survey of medical professionals and patients**
Saori Hashiguchi; Tokyo (JP)
- F261 Home-based palliative care services for underserved populations**
Ritabelle Fernandes; Honolulu (US)
- F262 Palliative care initiative in United Arab Emirates – A unique experience**
Mohammad Hidayatullah; Al Ain (AE)
- F263 Carcinoma of unknown primary. Which MDT?**
Clare Magdalen Littlewood¹, Ernest Marshall¹, Jacqui Kelly¹; ¹Liverpool (GB)
- F264 ANT Oncological Hospital-at-Home (ANT-OHH): Eubiosia project – An efficient model for the care of advanced and far advanced cancer Patients**
Marina Casadio¹, Raffaella Pannuti¹, Franco Pannuti¹; ¹Bologna (IT)
- F265 Palliative module for discharge management system**
Hans-Ulrich P. B. Giesen¹, Elke Held¹, Wilfried Schroers¹; ¹Duisburg (DE)
- F266 Palliative Medicine Outpatient Clinics (PMOC): Do different care settings influence the patients' experience of care?**
Declan Cawley¹, David Waterman¹, Dai Roberts¹, Margaret Rogers¹, Ann Caress¹; ¹Manchester (GB)
- F267 Organizational structure of palliative care services in Georgia**
Rema R Ghvamichava¹, Mamuka Katsarava¹, Levan Antadze², Ioseb Abesadze¹, Mikheil Shavdia¹, Memed Jincharadze²; ¹Tbilisi (GE), ²Batumi (GE)
- F268 Volunteer work in palliative care: A comparison of 7 European countries**
Kathrin Woitha¹, Yvonne Engels¹, Nisar Ahmed², Bill Noble², Sam H Ahmedzaï², Wojciech Leppert³, Jean-Marc Mollard⁴, Karen An Leon van Beek⁵, Johannes Menten⁵, Birgit Jaspers⁶, Eberhard Klaschik⁶, Silvia Paz⁷, Xavier Gómez-Batiste⁸, Kris CP Vissers¹; ¹Nijmegen (NL), ²Sheffield (GB), ³Poznan (PL), ⁴Paris (FR), ⁵Leuven (BE), ⁶Bonn (DE), ⁷Castelló de la Plana (ES), ⁸Barcelona (ES)
- F269 Palliative care research in Spain**
Josep Planas¹, Cristina Farriols¹, Gerard Colomar¹, Mercè Riera¹, Manuel Gallén¹, Joan Albanell¹; ¹Barcelona (ES)
- F270 Network of resource nurses in cancer and palliative care: An evaluation study**
May Aasebø Hauken¹, Ragnhild Helgesen¹, Dagny Faksvåg Haugen¹; ¹Bergen (NO)
- F271 “It’s a privilege really to be involved”: Community nursing roles, relationships and identities in primary palliative care**
Nigel King¹, Jane Melvin¹; ¹Huddersfield (GB)

- F272 Palliative care volunteers in a general hospital: What are their specific experiences, difficulties and satisfactions?**
Sylvette Delaloye¹, Christine Cedraschi¹, Monica Escher-Imhof¹, Christophe Lüthy¹, Valérie Piguet¹, Pierre Dayer¹; ¹Geneva (CH)
- F274 Palliative care for mentally disabled people**
Catherine Hoenger¹, Laetitia Probst²; ¹Lausanne (CH), ²St-Légier (CH)
- F275 An overview of palliative care in England, an EU perspective**
Nisar Ahmed¹, Bill Noble¹, Kris Vissers², Sam H Ahmedzai¹; ¹Sheffield (GB), ²Nijmegen (NL)
- F276 Differences in place of death for cancer patients in two adjacent counties in Norway from 1996 to 2006**
Eva Albert¹, Christian Kersten¹; ¹Kristiansand (NO)
- F277 The development of palliative care (PC) services in Kaunas Nursing Hospital**
Evelina Bataitienė¹, Rita Kabasinskiene¹, Marija Inesa Poniskaitienė¹, Vilune Bucinskiene¹; ¹Kaunas (LT)
- F278 The challenge of creating a palliative care unit in a university hospital**
Joaquim Julià i Torras¹, Emilio Martínez Losada¹, Jordi Trelis i Navarro¹, Montserrat Bleda Pérez¹, Mercè Riquelme i Olivares¹, Maria Crespo i Bosch¹; ¹Badalona (ES)
- F279 Patient and carer perspectives of palliative care in an acute hospital setting**
Gail Ewing¹, Dee Traue¹, Sara Booth¹; ¹Cambridge (GB)
- F280 The introduction of a cascade model of education and support to facilitate use of the Liverpool Care Pathway for the dying patient within the care home environment**
Jan Howard¹, Sharon Phillips¹; ¹Liverpool (GB)
- F281 Exploration of needs and experiences of patients, families and medical staff to inform a palliative care service in Bangladesh**
Roghieh Dehghan¹, Richard Harding¹; ¹London (GB)
- F282 Palliative care social worker: A pilot post to establish the role**
Lara Alloway¹, Rachel Gaffney¹; ¹Basingstoke (GB)
- F283 Domiciliary palliative care service of a palliative care unit in Brazil**
Lucia Cerqueira Gomes¹, Claudia Lisboa Naylor¹, Sineide de Paula Silva¹; ¹Rio de Janeiro (BR)
- F284 Palliative care services: A proposal for Portugal**
Manuel Capelas¹; ¹Lisboa (PT)
- F285 Cross sectional study of acute hospital referrals to the palliative care service**
Margaret Clifford¹, Marie Murphy¹, Sheila Kelly¹, Susan Hilliard¹; ¹Cork (IE)

- F286 Acute care palliative medicine and discharge planning**
Ruth D. Powazki¹, Declan Walsh¹, Wael Lasheen¹, Ruth Lagman¹, Mellar Davis¹, Susan LeGrand¹, K M Russell¹, Bassam Estfan¹, Terrence Gutgsell¹; ¹Cleveland (US)
- F287 Finding the right information about palliative care services**
Conny M.A. Giesen-Nijenhuis; Bunnik (NL)
- F288 Pharmacist actions in a home care service of palliative care unit: A new look**
Thaísa A Nogueira¹, Leandro A Barbosa¹, Luciana R B Trombini¹, Maria F Barbosa¹, Sandra G G Lima¹, Roberto R B Malveira¹; ¹Rio de Janeiro (BR)
- F289 Pharmacist insertion in home care service of palliative care unit: A search for rational drug utilization**
Luciana R B Trombini¹, Leandro A Barbosa¹, Maria F Barbosa¹, Leandro C Pereira¹, Sandra G G Lima¹; ¹Rio de Janeiro (BR)
- F290 Infection control in palliative care: The action of the Hospital Infection Control Committee**
Paulo R N Santos¹, Eliete F Azevedo¹, Leandro A Barbosa¹; ¹Rio de Janeiro (BR)
- F291 Hospicecare in the Netherlands**
Marieke Groot¹, Cilia Galesloot¹; ¹Nijmegen (NL)
- F292 Hospice in Ivano-Frankivsk region of Ukraine: Step by step**
Liudmyla Andriishyn¹, L. S. Malofiy¹, Volodymyr Vintoniv¹; ¹Ivano-Frankivsk (UA)
- F293 Economic effects of palliative care provided by a home care support team of an university hospital in Austria**
Walter Schippinger¹, Stephan Spat¹, Horst Pilgram¹, Johann Baumgartner¹, Hellmut Samonigg¹; ¹Graz (AT)
- F294 Physiotherapy service in a palliative care unit**
Silvia Baldvieso¹, Lucia Cerqueira¹, Elizabeth Silva¹, Jane Sodré¹, Marcia Jesus¹, Mônica Figueira¹, Paula Brandão¹, Priscila Stuck¹; ¹Rio de Janeiro (BR)
- F295 A physician-driven workflow triage model used in an interdisciplinary palliative care community consult team**
Ingrid Helia de Kock¹, Mehrnoush Mirhosseini¹, Hue Quan¹; ¹Edmonton (CA)
- F296 Needs assessment of palliative care in a rural setting: Data from South-eastern Bavaria**
Josef Hell¹, Claudia Bausewein², Martin Johannes Fegg², Gian Domenico Borasio²; ¹Mühlendorf a. Inn (DE), ²München (DE)
- F297 Developing a palliative care society for South Africa**
Joan Mary Marston¹, Sarah Fakrodeen², Ntombizodwa Sithole², Nico Nortje²; ¹Bloemfontein (ZA), ²Durban (ZA), ³Stellenbosch (ZA)

F298 Expanding the reach of palliative care in South Africa

Liz Gwyther; Cape Town (ZA)

Pain

F299 Experience of switching from transdermal fentanyl, morphine or diamorphine to methadone: Can equianalgesic dose ratios be determined?

*Clare E Marlow¹, Joanne C Bowen¹, Benoit Marcel Emile Ritzenthaler¹;
¹Wolverhampton (GB)*

F300 Advantage of early induction of controlled-release oxycodone to control head and neck cancer pain caused by irradiation

*Hisamitsu Takase¹, Toshifumi Sakata¹, Takashi Yamano¹, Takayuki Sueta¹,
 Takashi Nakagawa¹; ¹Fukuoka (JP)*

F301 Assessment of advanced cancer patients pain in Georgia

*Mikhail Shavdia¹, Rema Ghvamichava¹, Josef Abesadze¹, George Metivishvili¹,
 Nia Shavdia¹; ¹Tbilisi (GE)*

F302 Intercostal nerve block combined with pulsed radiofrequency in the treatment of intercostal neuralgia

*Toshihiko Nakatani¹, Hiroyuki Kushizaki¹, Tatsuya Hashimoto¹, Akihiro Motooka¹,
 Kei Koshikawa¹, Yoji Saito¹; ¹Izumo (JP)*

F303 Cases of successful pain control by switching from transdermal fentanyl to controlled-release oxycodone

Yoshihiko Sakashita; Chiba (JP)

F305 Absolute bioavailability and transmucosal absorption of fentanyl from the BEMA delivery system

*Ignacio Tagarro¹, Andrew Finn², Frederick A Biebardorff³; ¹S. Fernando de Henares,
 Madrid (ES), ²Raleigh, North Carolina (US), ³Austin, Texas (US)*

F306 Pain and fatigue: Do they really influence each other?

*Daniela Araújo Lamino¹, Dálete Delalibera Correa Faria Mota¹, Geana Paula Kurita²,
 Cibele Andrucio Mattos Pimenta¹; ¹Sao Paulo (BR), ²Copenhagen (DK)*

F307 Pharmacological differences of opioids regarding their efficacy against bone cancer pain

Etsuko Aruga; Tokyo (JP)

F308 Effectiveness of continuous parenteral hydromorphone in advanced cancer patients failing on standard opioids

*Wendy H Oldenmenger¹, Agnes Jager¹, Paul J Lievever¹, Walter Taal¹,
 Carin CD Van der Rijt¹; ¹Rotterdam (NL)*

F309 Effectiveness and tolerance of transdermal fentanyl in oncologic pain

Ana Isabel Ferrer Perez¹, Sara Serrano¹, Maria Tobeña¹, Maria Jesus Vidal¹,
Eduardo Polo², Julio Lambea¹, Isabel Pajares¹, David Lopez¹, Alejandro Tres¹;
¹Zaragoza (ES), ²Calatayud (ES)

F311 Use of methadone as a co-opioid in managing difficult pain: Review of 2 years of use within an inpatient hospice to explore its value

Antke Hagen¹, Corinna J Midgley¹; ¹Romford (GB)

F312 Sublingual methadone for breakthrough cancer pain: A randomized clinical trial is not feasible but the treatment appears effective

Neil Hagen¹, Dwight Moulin², Sharon Watanabe³, Penelope M.A. Brasher⁴, Carla Stiles¹;
¹Calgary (CA), ²London (CA), ³Edmonton (CA), ⁴Vancouver (CA)

F313 Safety and efficacy of hydromorphone OROS in the treatment of moderate-severe pain in opioid naïve cancer patients. Preliminary results of an open prospective phase II study

Elena Massa¹, Giorgio Astara¹, Mariele Dessi¹, Carla Spiga¹, Francesca Maria Tanca¹,
Clelia Madeddu¹, Mauro Urpis¹, Stefano Lepori¹, Laura Orgiano¹, Laura Pala¹, Carla Loi¹,
Giovanni Mantovani¹; ¹Cagliari (IT)

F314 Continuous intrathecal infusion for intractable cancer pain

Tetsushi Fukushima¹, Yosuke Yamamoto¹, Shinichi Yamada¹, Tomomi Sano¹;
¹Kurume City (JP)

F315 Optimization of pharmacotherapy of pain in palliative medicine

Jaroslav Woron¹, Iwona Filipczak-Bryniarska¹, Jerzy Wordliczek¹, Jan Dobrogowski¹;
¹Krakow (PL)

F316 The cancer pain syndromes associated with refractory pain required high dose opioid use or multiple drug therapy

Yoichi Matsuda¹, Satoru Tsuneto¹, Sho Goya¹, Hitoshi Tanimukai¹, Yumiko Ono¹,
Rumiko Matsuda¹; ¹Osaka (JP)

F317 Bowel function during a pain therapy with a combination of oxycodone / naloxone prolonged-release tablets in geriatric patients

Katri E Clemens¹, Ines Quednau¹, Eberhard Klaschik¹; ¹Bonn (DE)

F318 Effect of hydromorphone injectable solution on ventilation during the titration phase for cancer pain therapy

Katri E Clemens¹, Ines Quednau¹, Eberhard Klaschik¹; ¹Bonn (DE)

F319 Safety of hydromorphone in the management of intractable cancer pain in palliative care patients with severe renal failure

Katri E Clemens¹, Ines Quednau¹, Eberhard Klaschik¹; ¹Bonn (DE)

- F320 Breakthrough Pain (BTP): A study in advanced and far advanced onocological patients assisted at home by ANT Italia Foundation**
Mariano Bruni¹, Arcangelo Sapio¹, Marina Casadio², Raffaella Pannuti², Franco Pannuti²; ¹Taranto (IT), ²Bologna (IT)
- F321 Topical Pain Medications (TPM) for patients with advanced cancer**
Paul J Daeninck¹, Deepa Wadhwa¹, Joel Gingerich¹, Lindsay Lemanski¹, Marianne Krahn¹; ¹Winnipeg (CA)
- F322 Experience of methadone therapy in 35 consecutive chronic malignant pain patients**
Massimo Destro¹, Luca Ottolini¹; ¹Trento (IT)
- F323 Inconsistent opioid prescribing guidelines**
Mark Taubert¹, Claud Regnard², Julie Christie², Ilora Finlay³; ¹Cardiff (GB), ²Newcastle upon Tyne (GB), ³London (GB)
- F324 Efficacy of titrated doses of intranasal fentanyl spray (INFS) for breakthrough cancer pain: Results of a double-blind, placebo-controlled, crossover confirmatory trial**
Hans Georg Kress¹, Anna Oronska², Stein Kaasa³, Torben Colberg⁴, Thomas Nolte⁵; ¹Wien (AT), ²Wrocław (PL), ³Trondheim (NO), ⁴Roskilde (DK), ⁵Wiesbaden (DE)
- F325 A joint approach to interventional pain management for cancer pain**
Heino Hugel¹, Manohar L Sharma¹; ¹Liverpool (GB)
- F326 Pain analysis in the Sarajevo Community Public Institution for Social and Health Care with palliative care unit**
Amira Karkin Tais¹, Ksenija Miladinovic¹; ¹Sarajevo (BA)
- F327 Use of invasive analgesic techniques for pain control in an acute palliative care unit: Preliminary results**
Cristina Garzón¹, Jose Espinosa², Victor Mayoral², Gala Serrano¹, Albert Tuca¹, Gemma Badosa¹, Jesus González-Barboteo¹, Silvia Llorens¹, Josep Porta-Sales¹; ¹L'Hospitalet – Barcelona (ES), ²Barcelona (ES)
- F328 Pain treatment with sustained-release (SR) hydromorphone in patients with prostate tumour**
Uwe Junker; Remscheid (DE)
- F329 The use of cannabinoids (CBs) for the treatment of chemotherapy-induced peripheral neuropathy (CIPN): A retrospective review**
Joel R Gingerich¹, Deepa Wadhwa¹, Lindsay Lemanski¹, Marianne Krahn¹, Paul J Daeninck¹; ¹Winnipeg (CA)
- F330 Opioid use in palliative home care: Results from an eight year study**
Helena Escalada¹, Marcos Lama¹, Ana Belén Ochoa¹, Rakel Gorritxo¹; ¹Pamplona (ES)

- F331 Significant pain relief with intravenous ibandronate in symptomatic bone metastases**
Maria Gabrovska¹, Ilse Dedobbeleer¹, Filip J C Geurs¹, Katleen Van Mulders¹; ¹Halle (BE)
- F332 Feasibility study of brief patient based educational DVD for cancer pain**
Michael I Bennett¹, Claire Capewell¹, S Jose Closs²; ¹Lancaster (GB), ²Leeds (GB)
- F333 Symptom clusters in advanced cancer: Role of systemic inflammation**
Barry J A Laird¹, Angela C Scott¹, Gordon D Murray¹, Lesley A Colvin¹, Marie T Fallon¹, Kenneth C H Fearon¹; ¹Edinburgh (GB)
- F334 Pain control: Nurses and patients view**
Jovita Demskyte¹, Nijole Maryte Bertasiene², Virginija Sederskiene¹; ¹Kaunas (LT), ²Gargzdai (LT)
- F335 Transdermal fentanyl in cancer pain patients**
Jadranka Lakicevic¹, Dinka Lakic¹, Milan Sorat¹; ¹Podgorica (ME)
- F336 Minimally invasive procedures in cancer pain treatment**
Elwira Goraj¹, Jerzy Jarosz¹, Beata Stypula-Ciuba¹, Ewa Tomaszewicz¹; ¹Warsaw (PL)
- F337 Effects on pain and anxiety of holistic hospice nursing intervention program for in-patient of hospice palliative care unit**
Sun EUN Choi¹, Eun Sil Kang², Wha Sook Choe³; ¹Pohang (KR), ²Pusan (KR), ³Seoul (KR)
- F338 Catalonia palliative care teams effectiveness in pain control of advanced cancer patients**
Rosa Roca Casademont; Girona (ES)

Palliative Care in Children and Adolescents

- F339 Sterntalerhof – therapy**
Gustav Herincs¹, Lisa Graschopf²; ¹Wien (AT), ²Stegersbach (AT)
- F340 „Sterntalerhof“ – A rather different hospice for children**
Gustav Herincs; Wien (AT)
- F341 Voices of parents: The lived experience of caring for a child with a life-threatening and life-limiting diagnosis within existing social policies**
Susan E. Fowler-Kerry; Saskatoon (CA)
- F342 Different approaches for the same disease in pediatric palliative care: Two cases of severe dyskeratosis congenita**
Monika Führer¹, Ayda Duroux¹, Monika Grasser¹, Gian Domenico Borasio¹; ¹München (DE)

- F343 Raising standards of care in residential homes for children from Romania. From dream to reality**
Delia Birtar; Brasov (RO)
- F344 Needs assessment for pediatric palliative care in a region of Austria**
Vanja Belosa¹, Petra Sovinz¹, Imke Strohscheer¹; ¹Graz (AT)
- F345 Contributions of the hospice services to reducing the social isolation of disabled children and their families**
Codruta Popa¹, Delia Birtar¹; ¹Brasov (RO)
- F346 Invasive diagnostic and therapeutic measures in pediatric palliative care**
Monika Grasser¹, Ayda Duroux¹, Lutz Weber¹, Klaus Kinast¹, Gian D. Borasio¹, Monika Führer¹; ¹München (DE)
- F347 Pediatric palliative care in spinal muscular atrophy type I (SMA I) – Individual counselling regarding therapeutic decisions**
Ayda Duroux¹, Monika Grasser¹, Klaus Kinast¹, Gian Domenico Borasio¹, Monika Fuehrer¹; ¹München (DE)
- F348 >From arbitrariness to desirability; Palliative care for children in the Netherlands**
Marieke M. Groot¹, Cilia Galesloot¹, Wilma Stoelinga²; ¹Nijmegen (NL), ²De Glind (NL)
- F349 The Soweto Hospice Caregiver and Child Empowerment Unit: Empowering the disempowered**
Louisa Ferreira; Johannesburg (ZA)
- F350 The ICPCN – An international resource to promote and assist the worldwide development of palliative care for children**
Suzanne J Boucher¹, Joan Mary Marston²; ¹Assagay (ZA), ²Bloemfontein (ZA)
- F351 Home-based palliative care in children: The Coordination Center for Pediatric Palliative Care at the University of Munich**
Monika Führer¹, Ayda Duroux¹, Monika Grasser¹, Klaus Kinast¹, Barbara Klein¹, Gian Domenico Borasio¹; ¹München (DE)
- F352 The value of play within paediatric palliative care**
Suzanne Janet Boucher; Assagay (ZA)
- F353 Evidence based modelling of the trajectory of life-limiting conditions: Are the ACT categories valid?**
Richard Hain¹, Sharon Simpson¹, Fiona Wood¹, Emma Barnes¹; ¹Cardiff (GB)
- F354 Correlation of DEGR and Oucher pain scores in children with cancer: What can it tell us about the nature of chronicity in children's pain?**
Richard Hain¹, Meriel Jenney², Ruth Davies³; ¹Cardiff (GB), ²Cardiff (US), ³Swansea (GB)

F355 Dose-response and serum levels: Morphine and M6G in children with cancer

Richard Hain¹, Simin Mashayekhi², Phil Routledge¹; ¹Cardiff (GB), ²Tabriz (IR)

Palliative Care in Elderly

F356 Conveying compassion to the dying elderly through attention to the essential ordinary

Beth Perry; Edmonton (CA)

F357 Dronabinol in palliative medicine

Rudolf Likar¹, Ernst Rupacher¹, Hans Kager¹; ¹Klagenfurt (AT)

F358 Transitions to palliative care for older people in acute hospitals in the UK

Merryn Gott¹, Mary Christine Ingleton¹, Tony Ryan¹, Jane Seymour², Mike Bennett³, Bill Noble¹, Mark Cobb¹; ¹Sheffield (GB), ²Nottingham (GB), ³Lancaster (GB)

F360 Experiencing cancer in old age: A qualitative systematic review

Nic Hughes¹, S Jose Closs¹, David Clark²; ¹Leeds (GB), ²Lancaster (GB)

F361 Quality of end-of-life policy in the elderly: Differences between geriatric and non-geriatric wards?

Ruth Piers¹, Dominique Benoit¹, Wim Schrauwen¹, Anja Velghe¹, Mirko Petrovic¹, Nele Van Den Noortgate¹; ¹Gent (BE)

F362 'Partners in care' – Progress of nursing home palliative care LINK nurse scheme

Catherine R Baldry¹, Gill Draper²; ¹Southport (GB), ²Southport, Merseyside (GB)

F363 The views, experiences and needs of older lesbians, gay men and bisexual people about end of life care

Kathryn Almack¹, Jane Seymour¹, Sheila Kennedy¹, Gary Bellamy², Caroline Sanders³; ¹Nottingham (GB), ²Sheffield (GB), ³Manchester (GB)

F364 Better practice in palliative care for older people: A new WHO guide

Sue Hall¹, Massimo Costantini², Agis Tsouros³, Sreeparna Chattopadhyay¹, Anna Kolliakou¹, Irene J Higginson¹; ¹London (GB), ²Genoa (IT), ³Copenhagen (DK)

F365 Providing end of life care in care homes for older people: A qualitative study of the views of staff, residents and their families

Cassie Goddard¹, Frances Stewart¹, Genevieve Thompson², Irene J Higginson¹, Sue Hall¹; ¹London (GB), ²Winnipeg (CA)

F366 Relationship between different stages and diagnoses of dementia and the use of pain medication in nursing home patients

Bettina S Husebo¹, Liv-Inger Strand¹, Rolf Moe-Nilssen¹, Stein B Husebo¹, Dag Aarsland¹, Anne E Ljunggren¹; ¹Bergen (NO)

F367 Spiritual end-of-life care in Dutch nursing homes: A mixed method study
Marie-José H.E. Gijsberts¹, Jenny T van der Steen¹, Michael Echteld¹, Martien T Muller¹, Luc Deliens², Miel W Ribbe¹; ¹Amsterdam (NL), ²Brussels (NL)

F368 Hospice and palliative care in Austria nursing homes
Sigrid Beyer¹, Leena Peltarri-Stachl¹, Karl Bitschnau²; ¹Wien (AT), ²Feldkrich (AT)

F369 Implementing 'end of life care tools' into nursing care homes: an integrated approach
Jo Hockley¹, Julie Watson², Scott Murray²; ¹London (GB), ²Edinburgh (GB)

F370 End-of-life medical decisions in Acute Care for Elders Unit: A retrospective survey
Vito Curiale¹, Romina Custureri¹, Camilla Prete¹, Stefano Trasciatti¹; ¹Genova (IT)

F371 Substitute decision making for end-stage dementia patients
Ralf J. Jox¹, Eva Denke¹, Rosmarie Mendel¹, Johannes Hamann¹, Hans Förstl¹, Gian Domenico Borasio¹; ¹München (DE)

F372 Person-centered communication in palliative geriatrics: A comparison of Basale Stimulation and Validiation
Katharina Heimerl¹, Elisabeth Wappelshammer², Monique Weissenberger-Leduc¹, Marina Kojer¹; ¹Wien (AT), ²St. Pölten (AT)

F373 Are our older patients getting a good deal ?
Anne Hignell¹, Emma Davie²; ¹Frodsham (GB), ²Sheffield (GB)

Policy

F374 Raising the profile of palliative care: The poppy for medicine project in Afghanistan
Emmanuel Reinert; Paris (FR)

F376 Financing palliative care in the Netherlands
Wim JJ Jansen; Amsterdam (NL)

F377 European standards and norms for palliative care: Key areas, common definitions and consensus on basic requirements
Saskia Jünger¹, Sheila Payne², Lukas Radbruch¹; ¹Aachen (DE), ²Lancaster (GB)

F378 Implementation of the palliative care national strategy in the Balearic Islands
Marta Verdaguer¹, Juli Fuster², Eusebi Castaño², Micaela Comendeiro², Elena Ferragut², Yolanda Vega²; ¹Mallorca (ES), ²Balearic Islands (ES)

F380 How early is early? Implementing WHO guidelines for palliative care in lung cancer care

Jan Gaertner¹, Juergen Wolf¹, Christoph Ostgathe¹, Jan-Peter Glossmann¹, Michael Hallek¹, Raymond Voltz¹; ¹Köln (DE)

F381 Sustainable regional self-development in palliative care. Post modern health care policy strategies – Open process orientation, participation and transdisciplinary networking

Klaus Wegleitner; Wien (AT)

F382 Improving the availability and accessibility of opioids in Serbia: An update
Snezana Mirko Bosnjak¹, Karen M Ryan², John C Ely³, Jody P Moen², Martha A Maurer²; ¹Belgrade (RS), ²Madison (US), ³Minneapolis (US)

F383 Croatian declaration on palliative care, 2008 – The preliminary results
Maja Boban¹, Anica Jusić¹, Marijana Bras¹; ¹Zagreb (HR)

F384 Early integration of palliative care into lung cancer therapy by the hospital support team

Jan Gaertner¹, Christoph Ostgathe¹, Ursula Klein¹, Dennis Scheicht¹, Sebastian Frechen¹, Michael Hallek¹, Juergen Wolf¹, Raymond Voltz¹; ¹Köln (DE)

F385 Analysis of current legislative base in Ukraine on finding legislative obstacles of medical use of doctoral substances that contain narcotic and psychotropic substances for palliative patients

Yuriy Gubskiy¹, Oleg Bobrov¹, Victor Serdiuk¹, Anatoliy Tsarenko¹, Aleksey Dashchenko¹; ¹Kiev (UA)

F386 Developing palliative care: A top down approach

Daniela Mosoiu¹, Elena Stempovschi², Mihai Rotaru², Liliana Gherman², Angela Capelea²; ¹Brasov (RO), ²Chisinau (MD)

F388 Analysis of end of life choices as portrayed in the media

Ilora G Finlay; Cardiff (GB)

F389 Planning and funding specialist palliative care in Wales

Ilora G Finlay; Cardiff (GB)

Psychology & Communication

F390 On the use of meditative life-music to accompany palliative patients on the last part of their live

Andreas Aspernig; Klagenfurt (AT)

F391 Religiosity and existential thoughts during severe illness – Questionnaire and pastoral care

Nadja Ausker¹, Lotte Moerk¹; ¹Copenhagen (DK)

- F392 Supportive group psychotherapy for relatives of palliative care patients: A randomized-controlled prevention study**
Martin J Fegg¹, Gernot Hauke¹, Monika Brandstätter¹, Monika Kögler¹, Petra Rechenberg-Winter¹, Marcus Hentrich¹, Susanne Sehlen¹, Gian Domenico Borasio¹; ¹München (DE)
- F393 Involving people of diverse ethnicities in cancer research: An exploration of experiences, attitudes and barriers**
Ikumi Okamoto¹, David Wright², Yasmin Gunaratnam², Claire Foster¹; ¹Southampton (GB), ²London (GB)
- F395 Communicating with people with intellectual disabilities (ID) about life-limiting illness: An exploration of breaking bad news and disclosure of diagnosis and prognosis**
Irene Tuffrey-Wijne¹, Jane Berna², Sheila Hollins¹; ¹London (GB), ²Redruth (GB)
- F396 'You tell us!' – Making research accessible: The views and experiences of people with intellectual disabilities (ID) on palliative care provision**
Irene Tuffrey-Wijne¹, Sheila Hollins¹, Leopold Curfs²; ¹London (GB), ²Maastricht (NL)
- F397 Meaning in life in patients with Amyotrophic Lateral Sclerosis (ALS)**
Monika Kögler¹, Ralf Jox¹, Maria Wasner¹, Sigrid Haarmann-Doetkotte¹, Monika Brandstätter¹, Gian Domenico Borasio¹, Martin Johannes Fegg¹; ¹München (DE)
- F398 Cancer patients and distribution of information regarding the diagnose**
Ioseb G Abesadze¹, Mikheil D Shavdia¹, Rema R Ghvamichava¹, Nia M Shavdia¹, Giorgi I Abesadze¹; ¹Tbilisi (GE)
- F399 Detection of information need on sanitary personnel**
Esther Martin¹, Fabiola Saiz Cáceres¹, M^a Teresa Alonso¹, Antonio Barrera¹, Rocío Valentín¹, Teresa Galea¹, Victoria Romero¹, Ángel M^a Durán¹; ¹Cáceres (ES)
- F400 Effectiveness of psychological intervention in terminally ill patients with anxiety or depression on palliative care. Preliminary results**
David Gámez¹, Raquel Cabo², Paloma Encinas³, Petra González⁴, Esther Martín⁵, María Reyes⁶; ¹Plasencia/Coria (ES), ²Badajoz (ES), ³Llerena-Zafra (ES), ⁴Don Benito-Villanueva/ Mérida (ES), ⁵Cáceres (ES), ⁶Navalmoral de la Mata (ES)
- F402 What does a palliative patient feel during bedside sonography?**
Sarah Hackspiel¹, Gebhard Mathis², Otto Gehmacher¹; ¹Hohenems (AT), ²Rankweil (AT)
- F403 The art of questioning – Communication with seriously ill patients**
Harald Retschitzegger; Ried/Innkreis (AT)
- F404 The influence of gender and stage of disease on patients' views of cancer support groups**
Gunn E Grande; Manchester (GB)

- F405 Is significant psychological distress related to physical symptoms? A prospective study of patients with advanced chronic diseases**
Ignacia del Río¹, Maria Alejandra Palma¹, Pilar Bonati¹, Flavio Nervi¹, Luis Villaroel¹, Laura Tupper¹; ¹Santiago (CL)
- F406 Coping with advanced cancer: An analysis of coping processes used by patients with advanced cancer in a hospice setting**
Breffni L Hannon¹, Peter Fitzgerald¹, Denise Hayes¹, Marie Murphy¹, Tony O'Brien¹; ¹Cork (IE)
- F407 Social resources in facing death and dying**
Gerlinde Geiss¹, Steffen Simon¹, Norbert Krischke¹, Wilfried Belschner¹; ¹Oldenburg (DE)
- F408 Exploring the intangible: Sexuality and quantitative research**
Aoife Brid Gleeson¹, Liam O'Siorain¹; ¹Dublin (IE)
- F409 Taboo or not taboo: The changing face of sexuality in palliative care**
Aoife Brid Gleeson¹, Liam O'Siorain¹, Kevin Connaire¹; ¹Dublin (IE)
- F410 Health professionals' perceptions of the importance of sexuality to Irish palliative care patients**
Aoife Brid Gleeson¹, Liam O'Siorain¹, Kevin Connaire¹; ¹Dublin (IE)
- F411 Psycho-social assessment of terminal cancer patients at the activation of palliative care unit**
Samantha Serpentine¹, Elisa Alducci², Lisa Dal Sasso¹, Francesca Busa¹, Cristina Beltramello¹; ¹Bassano del Grappa (IT), ²Padova (IT)
- F412 Influence of personalized treatment plan on quality of life and psychiatric comorbidity (anxiety, depression) at patients with advanced colon cancer requiring palliative care**
Ovidiu Popa-Velea¹, Bogdan Cernat¹, Alexandra Tambu¹; ¹Bucharest (RO)
- F413 'Remember that I am still alive' – Living with incurable, life-threatening disease and positive and negative influences on perceived quality of life: A phenomenological study**
Kristin Solveig Bjarnadottir¹, Sigrídur Halldorsdóttir¹; ¹Akureyri (IS)
- F414 Patients' fears about cancer disease**
Jose Díaz-Benito; Pamplona (ES)
- F415 Referral patterns and psychosocial needs of advanced cancer patients in an outpatient psycho-oncology counselling program**
Cheryl L Nikolaichuk¹, Ceinwen Cumming¹, Jill Turner¹, Audrey Yushchyshyn¹, Rami Sela¹; ¹Edmonton (CA)

F416 Body image alteration in the advanced cancer patients: Multicentric and descriptive pilot study

Nuria Codorniu¹, Jorge Mate¹, Albert Tuca¹, Xavier Lliro², Sonia Fuentes³,
Montserrat Bleda³; ¹L'Hospitalet, Barcelona (ES), ²Barcelona (ES), ³Badalona (ES)

Research Methodology

F417 An investigation of the relationship between caring, levels of death anxiety and burnout syndrome among palliative care nurses

Brian Nyatanga; Worcester (GB)

F418 Patients in palliative care trials: Are they representative of the palliative care population in general?

Alison Kennett¹, Joanne Droney¹, Carol Marlow², Andrew Davies², Julia Riley¹; ¹London (GB), ²Sutton (GB)

F419 End of life research using published and unpublished illness narratives of motor neurone disease (MND): Methodological considerations

Mary O'Brien¹, David Clark²; ¹Ormskirk (GB), ²Lancaster (GB)

F420 An online Delphi consensus process on European standards and norms in palliative care

Saskia Jünger¹, Sheila Payne², Lukas Radbruch¹; ¹Aachen (DE), ²Lancaster (GB)

F421 The involvement of terminal patients in end-of-life care research: Why and how?

Reginald Deschepper¹, Robert Vander Stichele², Jan Bernheim¹, Koen Pardon¹,
Freddy Mortier², Luc Deliens¹; ¹Brussels (BE), ²Ghent (BE)

F422 Interviewing older people about end of life issues: Experiences of qualitative research in four countries

Sheila A Payne¹, Mette L Rurup², Bregje D Onwuteaka-Philipsen²,
Reginald Deschepper³, Sabine Pleschberger⁴, Jane E Seymour⁵; ¹Lancaster (GB),
²Amsterdam (NL), ³Brussels (BE), ⁴Wien (AT), ⁵Nottingham (GB)

F423 OPCARE9: International interdisciplinary collaboration to improve end-of-life cancer care

John Ellershaw; Liverpool (GB)

F424 Applications of structural equation modeling in palliative care research

Mone Palacios¹, Claudio Violato¹, Jose L Pereira²; ¹Calgary (CA), ²Ottawa (CA)

F425 Subject headings on major databases

Denise Brady; London (GB)

- F426 Development of person centered information processing at palliative oncology outpatient units – Examples from qualitative outcome analysis**
Febe Friberg¹, Joakim Öhlén¹; ¹Gothenburg (SE)

Symptoms Other Than Pain

- F427 Open label study of mirtazapine for symptoms and QOL in advanced cancer**
Jordanka Kirkova¹, Mellar P. Davis¹, Declan Walsh¹, Ruth Lagman¹, Nabila Bennani-Baiti¹, Dilara Seydova-Khoshknabi¹; ¹Cleveland (US)
- F428 Evidence-based treatment in cancer: A systematic review**
Mellar P. Davis¹, Ruth Lagman¹, Susan Le Grand¹, Bassam Estfan¹; ¹Cleveland (US)
- F429 Phase II trial to evaluate the efficacy and safety of oral transmucosal fentanyl citrate (OTFC) in terminally ill patients experiencing dyspnea**
Rafael Trujillo¹, Julia Alcaide¹, Diego Perez¹, Antonio Rueda¹; ¹Marbella (ES)
- F430 Making it happen: Improving our care and services**
Sandra A Flanagan; Gloucestershire (GB)
- F431 Does the use of bedside sonography influence the clinical management of palliative care patients?**
Otto Gehmacher¹, Alois Wüstner¹, Gebhard Mathis², Günter Höfle¹; ¹Hohenems (AT), ²Rankweil (AT)
- F432 Is symptom burden really a good criteria to discharge patients from palliative care units?**
Sophie Pautex¹, Huguette Guisado¹, Catherine Weber¹, Hubert Vuagnat¹, Gilbert Zulian¹; ¹Collonge-Bellerive (CH)
- F433 Should we use systematic screening for depression in palliative care? A systematic literature review**
Wadih Rhondali¹, Mari Lloyd-Williams², Aurelie Laurent¹, Mario Barmaki¹, Marilene Filbet¹; ¹Lyon (FR), ²Liverpool (GB)
- F435 Propofol for terminal sedation in palliative care – A systematic review**
Kerry McWilliams¹, Paul W Keeley², Esther T Waterhouse³; ¹East Kilbride (GB), ²Glasgow (GB), ³Leicester (GB)
- F437 A retrospective review of the use of octreotide in an acute hospital palliative medicine referral service**
Lucy Balding¹, Dympna Waldron¹, Eileen Mannion¹; ¹Galway (IE)
- F438 Naproxen for neoplastic fever: A simple treatment for a distressing syndrome**
Samy A Alsirafy¹, Enas N Abou-Elela¹, Yasmin I El Faramawy¹, Salah M El Mesidy¹; ¹Cairo (EG)

- F439 Application of essential oils in palliative care**
Doris Lackinger¹, Cathrine Schweigreiter-Moe¹, Claudia Wirnsberger¹, Gertraud Hrebejk¹, Claudia Wieser¹, Michael Zink¹; ¹St. Veit an der Glan (AT)
- F442 Constipation in patients with advanced cancer: An action research approach to management**
Sue Gale¹, Ivan Trotman¹, Jill Aitken², Chris How²; ¹London (GB), ²Buckinghamshire (GB)
- F443 What is the current evidence in management of dyspnoea in advanced disease?**
Steffen Simon¹, Claudia Bausewein²; ¹Oldenburg (DE), ²London (GB)
- F444 Outpatient setting for abdominal paracentesis of malignant ascites**
Heinrich Fiechtner¹, Werner Freier², Jens Papke³; ¹Stuttgart (DE), ²Hildesheim (DE), ³Neustadt (DE)
- F445 Anaemia and other predictors of fatigue among patients on palliative therapy for advanced cancer**
Anne Latvala¹, Kari Syrjänen¹, Eeva K Salminen¹; ¹Turku (FI)
- F446 Nutrition care – A forgotten aspect of palliative care**
Nasir Haider Choudhary; Rotherham (GB)
- F447 Overcoming obstacles to conducting trials in the context of palliative care: An exploratory phase II cluster randomised trial to investigate the effectiveness of the 'Macmillan Approach to Weight loss and Eating difficulties' (MAWE)**
Jane B Hopkinson¹, Claire Foster¹, Peter Nicholls¹, Debbie Fenlon¹, Ikumi Okamoto¹, David N M Wright¹, Issy Scott¹, Julia Addington-Hall¹; ¹Southampton (GB)
- F448 Role of cortico-steroids in palliative care**
Maryann Muckaden¹, Manjiri Dighe¹, Prince John¹, Sindhu Nair²; ¹Mumbai (IN), ²Delhi (IN)
- F449 The management of cough in palliative care**
Debbie Lisa Benson¹, Juliet Browning², Paul Howard³, Gwen Klepping², David Taylor⁴, Bee Wee²; ¹Worcester (GB), ²Oxford (GB), ³Reading (GB), ⁴High Wickham (GB)
- F450 Inflammation and nutritional intake: Are they really needed to classify cancer cachexia? A systematic literature review**
David Blum¹, Aurelius Omlin¹, Vickie Baracos², Tora Skeidsvoll³, Benjamin Tan⁴, Julie Hess¹, Kenneth Fearon⁴, Florian Strasser¹; ¹St. Gallen (CH), ²Edmonton (CA), ³Trondheim (NO), ⁴Edinburgh (GB)
- F451 Biliary stents in malignant obstructive jaundice: Retrospective analysis about outcomes and complications**
M. Cristina Marini¹, Hans Neuenschwander², Costanzo Limoni³; ¹Bellinzona (CH), ²Viganello (CH), ³Lugano (CH)

- F452 Less is more: The management of agitation and delirium In the palliative care setting**
Katie Anne Marley¹, Clare Finnegan², Fawad Ahmed², Catherine Lewis-Jones¹, Averil Fountain²; ¹Wirral (GB), ²Liverpool (GB)
- F453 Prevalence and severity of fatigue in diferent groups of advanced cancer patients**
Ana de Santiago Ruiz¹, Ana Carvaja², Carlos Centeno², Maria Angustias Portela², Luis Ramos², M^a Teresa San Miguel², Ana Larumbe²; ¹Madrid (ES), ²Pamplona (ES)
- F454 An observational study of the association between physical and psychological symptoms in patients with advanced cancer**
Katherine Webber¹, Andrew Neil Davies¹; ¹Sutton (GB)
- F455 The utilization of laxatives in a palliative care unit associated with pain control**
Camille P Urago¹, Leandro A Barbosa¹, Flávia C Barcelos¹, Sandra G G Lima¹; ¹Rio de Janeiro (BR)
- F456 Pressure ulcer in palliative care: Understanding the issue**
Mônica Bolzan¹, Leandro A Barbosa¹; ¹Rio de Janeiro (BR)
- F457 Administration of subcutaneous potassium infusion in advanced cancer patients**
Sarah Burton-MacLeod¹, Monique Bielech¹, Ingrid de Kock¹, Mehrnoush Mirhosseini¹, Lora Hager¹, Joan Faily²; ¹Edmonton (CA), ²Edmonton, Alberta (CA)
- F458 Cancer related fatigue and opioids**
Tomasz Buss¹, Magdalena Osowicka¹, Aleksandra Modlińska¹, Justyna Janiszewska¹, Monika Lichodziejewska-Niemierko¹, Piotr Wiśniewski¹; ¹Gdansk (PL)
- F459 Microbiological profile of a palliative care unit: The multidrug resistance concern**
Leandro A Barbosa¹, Paulo R N Santos¹, Eliete F Azevedo¹; ¹Rio de Janeiro (BR)
- F460 Descriptive study of decision making by palliative care, aged care, aged care psychiatry, and oncology nurses caring for confused patients in the inpatient care setting**
Meera R Agar¹, Brian Draper², Paddy Phillips¹, Rhonda Griffiths², Janeane Harlum², Christine Sanderson¹, David Currow¹; ¹Adelaide (AU), ²Sydney (AU)
- F461 Pilot study to examine the use of radio-opaque markers to measure colonic tranist times in palliative care patients**
Katherine Jane Clark¹, Larewnce Lam¹, Lourens Bester¹, Philip Macauley¹, Richard Chye¹, David Currow²; ¹Sydney (AU), ²Adelaide (AU)
- F462 Involuntary movements in terminally ill patients – Diagnosis and treatment**
Stefan Lorenzl; München (DE)

- F463 Emotional reactions of symptoms and functions among patients with advanced cancer in the end of life**
Carina Lundh Hagelin; Stockholm (SE)
- F464 Nursing intervention to control malodorous in malignant cutaneous wound**
Monica de Fatima Bolzan¹, Maria da Glória dos Santos Nunes¹, Fátima Regina Vinhas¹; ¹Rio de Janeiro (BR)
- F465 Symptom prevalence in cancer patients referred to the first specialist palliative care clinic in Egypt**
Samy A Alsirafy¹, Salah M El Mesidy¹, Enas N Abou-Elela¹, Yasmin I El Faramawy¹; ¹Cairo (EG)
- F466 Radiation therapy in malignant spinal cord compression. What is the current knowledge in this field of palliative medicine? A literature review**
Erik T. Løhre¹, Jo-Åsmund Lund¹, Stein Kaasa¹; ¹Trondheim (NO)
- F467 Use of Midazolam with elderly patients at the end of life: A study of 20 cases in a palliative care unit (10 patients>100mg/day)**
Fanny Knorreck¹, Guillaume Gay², Didier Tribout¹, Elodie Sales¹, Jean-Marie Gomas¹; ¹Paris (FR), ²Bry sur Marne (FR)
- F468 Facial burns in connection with oxygen insufflation in home-based palliative care**
Matthias Thöns¹, Michael Zenz¹; ¹Bochum (DE)
- F469 Are questions about diagnostics and treatment of psychiatric disorders in patients with palliative care needs a reason to consult the palliative care team in a university hospital in the Netherlands?**
Jenske I Geerling¹, An K.L. Reyners¹, Cees A van Minnen¹, Jan T.M. van Leeuwen¹, Janna Gol¹; ¹Groningen (NL)
- F470 The influence of morphine and tramadol on cancer patients' cognitive functions**
Magdalena Osowicka¹, Mikolaj Majkowicz¹, Krystyna De Walden-Galuszko¹; ¹Gdansk (PL)
- F471 Effectiveness and tolerability of senna tea combined with lactulose syrup in patients with intestinal constipation**
Shirley Burburan¹, Luciana Fialho¹; ¹Rio de Janeiro (BR)
- F472 A methodological exploration of symptom clusters in patients with inoperable lung cancer**
Ingela Henoch¹, Alexander Ploner², Carol Tishelman³; ¹Göteborg (SE), ²Stockholm (SE), ³Manchester (GB)